

Auctioneer Note: MAJOR PUBLIC AUCTION consisting of absolute packages of equipment from well known regional and local contractors. Large selection of Earth Moving Equipment, Paving and Compaction Equipment, Highway Maintenance Equipment, Agricultural Equipment, Support Equipment, Attachments, Heavy Duty Trucks and Trailers, Specialty Trucks,





Auction Conducted By:

Lloyd Meekins & Sons Auction Company

4070 NC Hwy 211 East - Lumberton, NC 28358

Office Phone: 800.499.6560; 910.739.0547

Email: info@meekinsauction.com • NC Firm License #858





AUCTION TERMS

- Every Item is sold as-is, where is.
- No Guarantees or warranties, expressed or implied. This brochure is only a guide. PLEASE INSPECT EQUIPMENT BEFORE BIDDING!
- NOTE: If interested in one item, please contact to insure availability.
- ADMINSTRATION FEE: Items selling for \$2,500 or less are subject
 to a ten percent administration fee on each item. Items selling over
 \$2,500 are subject to a five percent administration fee on each
 item. Online Bidders will be charged an additional two percent Internet Purchase Fee on all online purchases.
- PAYMENT TERMS: All payments are made in US funds. Methods of payment are cash, wire transfer, certified/ cashiers check, or company/ personal check accompanied with bank letter guaranteeing payment to Lloyd Meekins & Sons Auction Company. Equipment will not be released from sale site until purchases have been paid in full.
- SALES TAX EXEMPTION: Buyers qualifying for sales tax exemption
 must present a copy of their sales tax I.D. numbers and complete a NC
 certificate of exemption (E595-e), or have a current exemption form on
 file, in order to be exempted from sales tax on applicable purchases.
- SALES TAX: The North Carolina Sales Tax (Robeson County) is 7.00% and applies to all sales, unless proper tax exemption forms are completed.
- EXPORT EXEMPTIONS: Buyers purchasing for export must complete and execute a NC affidavit of export (E599-C) for sales tax exemption. Items will not be released until this required document is received.
- FOR THEIR SAFETY- NO CHILDREN ARE ALLOWED ON SALE SITE!
- VEHICLE TITLE INFO: All title- item purchases will be charged a \$25 title-processing fee. All titles will be mailed out within 15 business days after payment has been received.
- SALES REPRESENTATIVES AND SALE SITE MANAGERS:

Trey Meekins, 910.258.4383
EB Webb, 252.245.1405
Chris Cea, 910.633.8244
Stacey Johnson, Sale Site Manager, 910.738.8822
Ruford Watson, Sale Site Manager, 910.734.1828

 AUCTIONEERS: Lloyd "Mickey" Meekins, Jr. #228, Stacey Johnson #7273, Lloyd "Trey" Meekins, III #8137

INSPECTION/REGISTRATION/ EQUIPMENT REMOVAL DATES

- EQUIPMENT INSPECTION DATE: Monday, April 29th, 2013 from 8:00 am until 5:00 pm
- BIDDER REGISTRATION Begins Wednesday, April 24th, 2013
- REMOVAL OF EQUIPMENT DEADLINE: All equipment must be removed from sale site by Thursday, May 16th, 2013. Loading docks are available. Equipment not removed by designated date, buyer may be charged storage fees. Removal of equipment and insurance is the buyers' responsibility.
- OFFICE AND YARD OPERATING HOURS: Open Monday thru Friday 8:00 am until 5:00pm. Closed weekends.

DIRECTIONS TO SALE SITE

 From Interstate I-95, take EXIT 20, Follow out ROBERTS AVE/ NC-211 SOUTH for 3.1 miles; Turn LEFT onto EAST 5TH Street/NC-211 EAST, continue to follow for 1.1 miles; The sale site will be on right side of the road.

(Sale site is located 90 miles south of Raleigh, NC; 130 miles southeast of Charlotte, NC; 150 miles northeast of Columbia, SC; 325 miles northeast of Atlanta, GA; 650 miles north of Orlando, Florida.)

GPS Sale Site Location: 4070 East 5th Street, Lumberton, NC

ACCOMMODATIONS

- Holiday Inn (Auction Headquarters) 910.671.1166
- Hampton Inn 910.738.3332 Fairfield Inn 910.739.8444
- Best Western 910.618.9799
 Comfort Suites 910.345.0260

AIRLINES/TRAVEL AGENCY

- Fayetteville Regional Airport (located 30 miles from auction site) www.airnav.com
- Raleigh/Durham International Airport (RDU) (located 90 miles from auction site) www.rdu.com
- Lumberton Municipal Airport (LBT) www.airnav.com/airport/LBT
- ITS Travel Agency: Ann Calhoun 843.669.8549

CONSIGNMENT INFORMATION

Interested in selling your equipment or trucks for this major auction, then choose Meekins Auction Company to turn your valuable assets into cash returns. Selling Benefits to help your company achieve the best return on the sale of your assets.

If you or your company are interested in selling your surplus equipment and trucks for this major auction, please contact us today!

Contact one of our Auction Sales Managers.

- Trey Meekins Mobile: 910.258.4383 or email: trey@meekinsauction.com
- E.B. Webb Mobile: 252.245.1405 or email: ebwebb@meekinsauction.com
- Chris Cea Mobile: 910.633.8244 or email: chris@meekinsauction.com

Consignments will be accepted until Thursday, April 25th, 2013

LOOKING TO LIQUIDATE YOUR SURPLUS EQUIPMENT AND TRUCKS FOR THIS MAJOR AUCTION!

• Flexible Contract Options (Net Guarantee, Straight Commission, Out-Right Purchase, Off Site Auctions)

NOTE: For auction schedule approximate selling times, please visit our company website at meekinsauction.com



Online Bidding Registration: register at equipmentfacts.com or call 908.788.2025

(Note: Online Registration must be completed before the date of the auction.)

CONSTRUCTION E Q U I P M E N T

A Partial List to Date Includes the Following.

HYDRAULIC EXCAVATORS

APPROX. 9:30 AM SELLING TIME

2009 Komatsu PC300LC-8,

sn:KMTPC191K54A90579, equipped w/ A/C Cab, Komatsu engine, reverse camera, 33.5 inch pads, work light package, Hensley 54 inch bucket, 5,261 hrs

2008 Komatsu PC220LC-8,

sn:KMTPC181H54A88602, equipped w/ A/C Cab, Komatsu engine, reverse camera, 31.5 inch pads, work light package, Esco 36 inch bucket, 5,117 hrs

1994 Komatsu PC220LC-6L, sn:A80177, equipped w/ Enclosed Cab, Komatsu engine, work light package, 31.5 inch pads, Esco 36 inch bucket

2004 Volvo EC330BLC, sn:EC330V10381, equipped w/ A/C Cab, Volvo D12C (12.1L) engine, work light package, catwalks accessory, 35 inch pads, ACS HD60 (60 Inch) bucket, 6,653 hrs

2000 Cat 330BL, sn:6DR03648, equipped w/ A/C Cab, Cat 3306 engine, work light package, 33.5 inch pads, long undercarriage, Cat 60 inch bucket 1998 Cat 330BL, sn:6DR01701, equipped w/ A/C Cab, Cat 3306 engine, work light package, 33.5 inch pads, long undercarriage, Cat 60 inch (3.0 vd) bucket

1998 Cat 330BL, sn:3YR00518, equipped w/ Enclosed Cab, Cat 3306 engine, work light package, 33.5 inch pads, long undercarriage, Cat 60 inch (3.0 yd) bucket

1998 Cat 322BL, sn:2ES00386, equipped w/ A/C Cab, Cat 3116 engine, work light package, catwalks, 31.5 inch pads, Cat 48 inch bucket

1984 Cat 235, sn:32K03819, equipped w/ Enclosed Cab, Cat 3306 engine, work light package, 36 inch pads, catwalks, 48 inch digging bucket, 6,219 hrs 1990 Cat E120B, sn:7NF01722, equipped w/ Enclosed

Cab, 36 inch bucket, thumb attachment, 6,540 hrs 2004 Link Belt 240LX, sn:K4J4-3730, equipped w/A/C Cab, Isuzu engine, work light package, 31.5 inch pads, plumbed auxiliary hydraulics, Werk Brau 48 inch bucket, 7,509 hrs

1995 Hitachi EX300LC-3, sn:15L-7067, equipped w/ A/C Cab, Isuzu engine, super series, work light package, 31.5 inch pads, plumbed auxiliary hydraulics, 10,013 hrs

1997 Hitachi EX270LC, sn:158-07657, equipped w/ A/C Cab, Isuzu engine, 31.5 inch pads, unused SEC long stick extension attachment, 42 inch ditch cleaning bucket. 7.815 hrs

1997 Kobelco SK300LC Mark IV, sn:YCU0656, equipped w/ Enclosed Cab, Cummins engine, work light package, 31.5 inch pads, Hendrix 56 inch bucket, 4,079 hrs

1999 Kobelco SK200 Acera Super Series,

sn:YN24974, equipped w/ Enclosed Cab, Mitsubishi engine, 31.5 inch pads, Hensley 36 inch bucket **1995 Samsung SE280LC-2**, sn:HBY0228, equipped w/ Enclosed Cab, Cummins engine, 31.5 inch pads

w/ Enclosed Čab, Cummins engine, 31.5 inch pads, work light package, 48 inch bucket, meter reading: 4,055 hrs

2002 Case CX130, sn:DAC0713288, equipped w/ A/C Cab, Cummins engine, work light package, 27.5 inch pads, Esco 36 inch bucket, 8,503 hrs

2007 Yanmar V1075 sn:12441B, equipped w/ A/C Cab, Yanmar engine, rubber tracks, work light package, reduced tail swing, plumbed auxiliary hydraulics, hydraulic quick coupler, backfill dozer blade, 36 inch bucket, 4,030 hrs

2006 Yanmar V1075, sn:YMRV1075C6YY11853, equipped w/ A/C Cab, Yanmar engine, rubber tracks, work light package, reduced tail swing, plumbed auxiliary hydraulics, hydraulic quick coupler, backfill dozer blade, 36 inch bucket, 5.124 hrs

2006 Yanmar V1027-3, sn:35153, equipped w/ Rops Canopy, Kubota engine, rubber tracks, reduced tail swing, work light package, backfill dozer blade, plumbed auxiliary hydraulics, hydraulic quick coupler, 18 inch bucket, 3,361 hrs

2002 Deere 50ZTS, sn:FF050ZX240513, equipped w/ Rops Canopy, Isuzu engine, reduced tail swing, rubber tracks, work light package, backfill dozer blade, plumbed auxiliary hydraulics, quick coupler, 24 inch hoe bucket, hydraulic thumb

2001 Deere 50ZTS, sn:FF050ZX2401511, equipped w/ Rops Canopy, Isuzu engine, reduced tail swing, rubber tracks, work light package, backfill dozer blade, plumbed auxiliary hydraulics, quick coupler, 24 inch hoe bucket

2003 Takeuchi TB135, sn:13513325, equipped w/ Rops Canopy, Yanmar engine, rubber tracks, backfill dozer blade, plumbed auxiliary hydraulics, quick coupler, 24 inch bucket, meter reading: 3,841 hrs 2004 Kubota KX121-3, sn:21692, equipped w/ Rops Canopy, Kubota 2.2L engine, rubber tracks, work light package, backfill dozer blade, auxiliary hydraulics, 12 inch bucket, meter reading: 1,517 hrs

CRAWLER DOZERS

2000 Cat D7R LGP, sn:3ZR00634, equipped w/ A/C Cab, Cat 3306 engine, power shift transmission with finger-tip controls, rops package, 24 inch pads, work light package, hydraulic tilt dozer blade, Cat rear hydraulic ripper attachment, 6,782 hrs

1985 Cat D6D, sn:04X10359, equipped w/ Rops Canopy, sweeps, Cat 3306 engine, power shift transmission, 24 inch pads, dozer blade, draw bar

1977 Cat D6D, sn:4X01161, equipped w/ Rops Canopy, rear screen protection, sweeps, Cat 3306 engine, power shift transmission, 22 inch pads, S/U dozer blade, draw bar

2002 Cat D5G LGP, sn:CAT00D5GCFDW00446, equipped w/ A/C Cab, Cat 3046 engine, hydrostatic transmission, work light package, 26 inch pads, 6 way dozer blade

1997 Cat D5C LGP Series III, sn:6ZL00814, equipped w/ Rops Canopy, Cat 3046 engine, power shift transmission, 24 inch pads, 6 way dozer blade

1992 Cat D5C, sn:6PJ00178, equipped w/ Rops Canopy, Cat 3204 engine, power shift transmission, work light package, 18 inch pads, 6 way dozer blade 2004 Cat D4G LGP, sn:TLX00532, equipped w/

Rops Canopy, Cat 3046 engine, hydrostatic transmission, work light package, 25 inch pads, 6 way dozer blade, 3,688 hrs

1997 Cat D4C Series III, sn:6YL01687, equipped w/ Rops Canopy, Cat 3046 engine, power shift transmission, 16 inch pads, 6 way dozer blade

1989 Cat D4C, sn:1RJ00697, equipped w/ Rops Canopy, Cat 3204 engine, power shift transmission, 16 inch pads, 6 way dozer blade

2004 Deere 650H LGP, sn:T0650HX940252, equipped w/ Rops Canopy, Deere 4045T engine, hydrostatic transmission, work light package, 24 inch pads, plumbed for gps grade controls, 6 way dozer blade, draw bar, 5,584 hrs

CRAWLER LOADERS

Cat 963, sn:18Z01716, equipped w/ Rops Canopy, Cat 3304 engine, hydrostatic transmission, 18 inch pads, work light package, loader bucket, 5,856 hrs

























CRAWLER ALL TERRAIN UTILITY VEHICLE

GO-TRACT GT-800, sn:81270, equipped w/ Enclosed Cab, Ford gas engine, 4 speed transmission, rops package, work light package, brush guard with Braden winch, 10 ft flatbed dump body, HIAB 3,000LB folding boom attachment

WHEEL LOADERS

2003 Kawasaki 95Z Series V, sn:97C45201, equipped w/ A/C Cab, Cummins engine, power shift transmission, ride control, work light package, loader bucket, 26.5 R 25 tires

2003 Kawasaki 90Z Series V, sn:90C45024, equipped w/ A/C Cab, Cummins 6 cyl engine, power shift transmission, ride control, work light package, JRB 5 yd loader bucket, 26.5 R 25 tires, 13.476 hrs

1996 Cat 970F, sn:7SK00633, equipped w/ A/C Cab, Cat 3306 engine, 4 speed transmission, work light package, 6 yd loader bucket

1995 Cat 950F Series II, sn:8TK02654, equipped w/ A/C Cab, Cat 3116 engine, 4-speed transmission, ride control, work light package, Cat 3.50 yd loader bucket, 23.5 R 25 tires

1992 Cat 950F Series II, sn:5SK00253, equipped w/ A/C Cab, Cat 3116 engine, 4-speed transmission, work light package, Cat 3.50 yd loader bucket, Michelin 23.5 R 25 tires

1984 Cat 950B, sn:63R03066, equipped w/ Enclosed Cab, rops package, Cat 3304 engine, 4F/4R power shift transmission, work light package, 3.0 yd loader bucket, Michelin 23.5 R 25 tires, 14,023 brs

1984 Cat 950B, sn:31R01941, equipped w/ Enclosed Cab, rops package, Cat 3304 engine, 4F/4R power shift transmission, work light package, 3.0 yd loader bucket, 20.5 R 25 tires, 4,668 hrs

1987 Cat 936, sn:33Z02545, equipped w/ A/C Cab, Cat 3204 engine, power shift transmission, work light package, 3 yd loader bucket, 20.5-25 tires, meter reading: 16,341 hrs

1979 Cat 920, sn:62K08681

1999 Komatsu WA380-3L, sn:A50485, equipped w/ A/C Cab, Komatsu 205HP engine, 4 speed transmission, work light package, 3 yd loader bucket, 23.5 R 25 tires, 11,536 hrs

2006 Deere 544J, sn:DW544JP601556, equipped w/ A/C Cab, Deere PowerTech 6 cyl engine, automatic power shift transmission, ride control, work light package, hydraulic quick coupler, 3.0 yd loader bucket, 20.5-25 tires, 6,854 hrs

1998 Deere TC54H, sn:DWTC54H567380, equipped w/ A/C Cab, work light package, hydraulic quick coupler system, JRB loader bucket and forks, Michelin 20.5 R 25 tires, 9,652 hrs

1999 Deere TC44H, sn:DWTC44H573497, equipped w/ A/C Cab, work light package, hydraulic quick coupler system, JRB loader bucket and forks, 17.5-25 tires, 8,539 hrs

Deere 644B, sn:330068T, equipped w/ Rops Canopy, 6 cyl engine, power shift transmission, 3 yd loader bucket, 20.5-25 tires, 8,096 hrs

2005 Case 621D, sn:JEE0138395, equipped w/ A/C Cab, 6.7L turbo engine, auto shift transmission, work light package, JRB hydraulic quick coupler system, quick connect loader bucket, 20.5-25 tires, 5.229 hrs

1995 Case 621BXT, sn:JEE0042469, equipped w/ Enclosed Cab, Case 6 cyl engine, power shift transmission, work light package, hyd quick coupler, 1.75 yd loader bucket, 17.5 R 25 tires, 5,661

Fiat Allis FR12, sn:R12A2TZ550643, equipped w/ Rops Canopy, 6 cyl engine, work light package, gp loader bucket, 17.5-25 tires

Kubota R510, sn:20098, equipped w/ Rops Canopy, 45HP diesel engine, 4wd, work light package, hyd quick coupler system, quick attach loader bucket and forks, Kubota RB5011 rear backhoe attachment, 15.5/70-18 tires

MOTOR GRADERS

1988 Cat 12G, sn:61M12617, equipped w/ Enclosed Cab, Cat 3306 engine, articulating frame, work light package, 12 ft board, scarifier, 14.00 R 24 tires

1986 Cat 12G, sn:61M11483, equipped w/ Enclosed Cab, Cat 3306 engine, hydraulic side shift and tilt, full hydraulic controls, work light package, 14 ft board, articulating frame. 14.00 R 24 tires, rear hydraulic ripper

1985 Cat 12G, sn:61M11010, equipped w/ A/C Cab, Cat 3306 engine, full hydraulic controls, hydraulic side shift and tilt, work light package, articulating frame, push block, 12 ft board, rear hydraulic ripper, 14.00 R 24 tires

1978 Cat 12G, sn:61M5491, equipped w/ A/C Cab, Cat 3306 engine, hydraulic side shift and tilt, work light package, push block, 12 ft board, articulating frame, rear hydraulic ripper, 14.00-24 tires

Champion 720A Series III, sn:23584, equipped w/ A/C Cab, Cummins 8.3L engine, power shift transmission, articulating frame, work light package, 12 ft board, scarifier, 14.00 R 24 tires, 6,601 hrs

1988 Galion-Dresser A450E, sn:G750003N012019, equipped w/ Enclosed Cab, D359T engine, power shift transmission, work light package, articulating frame, 12 ft board, 14.00-24TG tires

Gehl 747B, sn:08900233, equipped w/ Rops Canopy, Isuzu engine, articulating frame, 10 ft board, rear hydraulic ripper, 38.5 x 14.50-15LT tires, 2,797 hrs

2005 PSI M413XT (4x4), sn:120958, equipped w/ A/C Cab, 133HP diesel engine, hydrostatic transmission, work light package, 10 ft board, rear hydraulic ripper, auxiliary hydraulic outlets, 16.5L-16.1 tires, 1,631 hrs

1998 PSI M413XT (4x4), sn:120666, equipped w/ Rops Canopy, Cummins 3.9L (110HP) turbo engine, hydrostatic transmission, work light package, front loader attachment with quick connect loader bucket, 10 ft board, rear hydraulic ripper, auxiliary hydraulic outlets, 16.5L-16.1 tires, 3,813 hrs

MOTOR SCRAPERS

4.110 hrs

1986 Cat 613C, sn:92X00948, equipped w/ Rops Canopy, Cat 3208 engine, power shift transmission, self elevating, 11 cu yd haul capability, Michelin 23.5 R 25 tires, 11,492 hrs

1974 Cat 613, sn:71M2786, equipped w/ Rops Canopy, Cat 3208 reman engine, power shift transmission, self elevating, 11 cu yd haul capability, 23.5-25 tires **1984 Terex TS-14B**, sn:72684, equipped w/ Rops

Canopy, Detroit diesel engines, power shift transmission, 14 cu yd haul capability, 29.5 R 25 tires **Deere 862**, sn:T00862X726538, equipped w/ Rops Canopy, 6 cyl engine, power shift transmission, self elevating, 16 cu yd haul capability, 29.5 R 25 tires,

ARTICULATED END DUMP TRUCKS

DJB D250, sn:D250-2446, equipped w/ Enclosed Cab, power shift transmission, 6wd, 25 ton hauling capability, 23.5 R 25 tires

Terex 2366, sn:A21712, equipped w/ Enclosed Cab, Deutz engine, power shift transmission, 6wd, differential lock, 23 ton hauling capability, Michelin 20.5 R 25 tires, 7,219 hrs

PNEUMATIC (RUBBER TIRE) ASPHALT PAVERS

2005 Cat AP-1000B, sn:CATAP100TAGP00175, equipped w/ Cat 3116 engine, hydrostatic wheel drive, front wheel assist, work light package, 215 cu ft hopper capacity, Carlson EZ1V-1019 electric heated screed, sn:04761004, 10 ft - 19 ft paving width capability

2002 Cat AP-1000B, sn:CATAP100V7HN00312, equipped w/ Cat 3116 engine, hydrostatic wheel drive, front wheel assist, work light package, 215 cu ft hopper capacity, Carlson MS10E electric heated screed, sn:1980, 10 ft - 20 ft paving width capability, plumbed for Topcon grade control system

2003 Blaw-Knox PF-3200, sn:320035-35, equipped w/ Cummins 6 cyl engine, hydrostatic wheel drive, front wheel assist, dual operator stations, Carlson EZIV-10 electric heated screed, plumbed for Topcon grade control system

CRAWLER TRACK ASPHALT PAVERS

2002 Blaw-Knox PF-5510, sn:551031-21, equipped w/ Cummins 6 cyl engine, hydrostatic transmission, rubber tracks, work light package, grade and slope controls, Blaw-Knox 10/20 Ultimat electric heated screed, sn:11804-02, 10 ft - 20 ft paving width capability, 3,897 hrs

2004 Ingersoll Rand 3120, sn:180345, equipped w/ Kubota diesel engine, hydrostatic transmission, Blaw-Kontrol, Blaw Knox Liberty screed, 8 ft - 14 ft paving width capability, low meter hrs

2005 Vogele 880RTB Pro-Pav Series, sn:30510, equipped w/ Cummins 6 cyl engine, hydrostatic transmission, throttle control, rubber tracks, work light package, wash down system, Vogele ES-80B electric heated screed, 8 ft- 14 ft paving width capability, 6,664 hrs

ASPHALT DISTRIBUTOR TRUCKS

1999 Freightliner FL70 Asphalt Distributor Truck, sn:1FV6HFAA4XHA75820, equipped w/ Cummins 5.9L engine, 5x2 manual transmission, cruise, air brakes, gvwr: 33,000LBS, 1999 Rosco Maximizer II Asphalt Distributor body, sn:35977, 1,900 gallon tank, hydrostatic, automatic in cab controls, full circulation spray bar, 87,812 miles

1996 Ford F-Series Asphalt Distributor Truck, sn:1FDXF80C6TVA18057, equipped w/ Cummins 5.9L engine, 5x2 mnaual transmission, air brakes, 177 wheel base, gywr: 30,000LBS, 1996 Etnyre Black-Topper Series 2000 asphalt distributor body, sn:S1759, 1,500 gallon tank, hydrostatic, in-cab controls, spray bar, 121,229 miles

HIGHWAY/ROAD MAINTENANCE EQUIPMENT

2007 Etnyre 2WD Chip Spreader, sn:K6301, equipped w/ Cummins 5.9L engine, hydrostatic drive, work light package, 12 ft front hopper, 24 inch wide conveyor belts, power batwings in rear receiving hopper, truck hitch, 385/65R 22.5 tires

1989 Blaw-Knox RW100 Road Widener, sn:10011-17, equipped w/ open station, John Deere 4 cyl engine, hydrostatic transmission, throttle control, strikeoff inner and outer controls, 10 ft hopper, Goodyear 385/65R 22.5 tires

1983 Blaw-Knox RW100 Road Widener, sn:10001-05, equipped w/ open station, John Deere 4 cyl engine, hydrostatic transmission, throttle control, strikeoff inner and outer controls, 10 ft hopper, Goodyear 385/65R 22.5 tires

Bros LSPRM-8 Soil Stabilizer, sn:4376, equipped w/ Rops Canopy, Cummins NTC-350 Big Cam engine, 8 ft cutting head, 28L-26 front tires, 14.9-24 rear tires

Rex HDS Soil Stabilizer, sn:HK858, equipped w/ open station, Detroit 4 cyl diesel engine, 11R 24.5 front tires, 18.4-34 rear tires, 8 ft drum

Athey 7-12D Force-Feed Loader, sn:703244, equipped w/ Enclosed Cab, John Deere 4045TF engine, hydrostatic transmission, work light package, hydraulic mold board controls, rear conveyor discharge, low meter hrs

2002 Asphalt Zipper AZ-360 Portable Asphalt Reclaimer, sn:100677, equipped w/ John Deere 4045 engine, 36 inch cut width capability, zip'n-go series, 12 inch max cut depth, wired remote, 2001 Williamson transport trailer

COMPACTION EQUIPMENT - TANDEM VIBRATORY ROLLERS

2001 Ingersoll Rand DD-125, sn:167684, equipped w/ Rops Canopy, Cummins 5.9L engine, hydrostatic transmission, work light package, 84 inch drums, water spray system, 3,678 hrs

2002 Ingersoll Rand DD-110HF, sn:169967, equipped w/ Rops Canopy, Cummins 3.9L (125HP) engine, hydrostatic transmission, work light package, high frequency series, 78 inch drums, water spray system, plastic water tanks

2001 Ingersoll Rand DD-110HF, sn:167581, equipped w/ Rops Canopy, Cummins 3.9L (125HP) engine, hydrostatic transmission, work light package, high frequency series, 78 inch drums, water spray system, plastic water tanks, 2,475 hrs

1998 Ingersoll Rand DD-70, sn:154577, equipped w/ Rops Canopy, Cummins 3.9L engine, hydrostatic transmission, work light package, 56 inch drums, water spray system, 4,607 hrs

1997 Cat CB-634C, sn:3BR00120, equipped w/ open station, Cat 3116 engine, hydrostatic transmission, work light package, 84 inch drums, water spray system

1996 Cat CB-634C, sn:3BR00067, equipped w/ Rops Canopy, Cat 3116 engine, hydrostatic transmission, 84 inch drums, water spray system 1995 Cat CB-634, sn:5CL00089, equipped w/ open

station, Cat 3116 engine, hydrostatic transmission, 84 inch drums, water spray system, 5,798 hrs

1997 Cat CB-534C, sn:5HN00163, equipped w/ Rops Canopy, Cat 3054 engine, hydrostatic transmission, work light package, 67 inch drums, water spray system, 2,486 hrs

1998 Cat CB-534C, sn:5HN00362, equipped w/ Rops Canopy, Cat 3054 engine, hydrostatic transmission, work light package, 67 inch drums, water spray system, 5.367 hrs

2003 Hamm HD120HV, sn:50048, equipped w/ Rops Canopy, Deutz engine, hydrostatic transmission, 78 inch drums, work light package, water spray system, 4,235 hrs

2004 Hamm HD13K, sn:H1393793, equipped w/ Roll Bar, Deutz engine, hydrostatic transmission, work light package, 51 inch front vibratory smooth drum, (4) rear pneumatic compaction wheels, water spray system, 2,381 hrs

2005 Hamm HD12, sn:H1394212, equipped w/ Rops Canopy, Deutz engine, hydrostatic transmission, 47 inch drums, water spray system, 4,385 hrs 2004 Hamm HD12, sn:60869, equipped w/ Roll Bar, Deutz engine, hydrostatic transmission, 47 inch

drums, water spray system, 962 hrs 2003 Wacker RD11A, sn:5417049, equipped w/ Roll Bar, Honda 18.0HP engine, hydrostatic transmission, 36 inch drums, water spray system, 756 hrs

COMPACTION EQUIPMENT - VIBRATORY SMOOTH DRUM COMPACTORS

2007 Sakai SV400D, sn:VSV15-30270, equipped w/ Rops Canopy, Cummins engine, hydrostatic transmission, 66 inch drum, 16.9-24 tires, 1,776 hrs

Cat CS-431B, sn:1XF00052, equipped w/ Rops Canopy, Perkins engine, hydrostatic transmission, 66 inch drum, 14.9-24 tires

Ingersoll Rand SP-48, sn:5559S, equipped w/ Rops Canopy, Detroit diesel engine, hydrostatic transmission, 66 inch drum, 14.9-24 tires, 5,094 hrs

Ingersoll Rand SP-48, sn:5848S, equipped w/ open station, Cummins 4BT engine, hydrostatic transmission, 66 inch drum, 14.9-24 tires, 3,084 hrs

Ingersoll Rand SP-48DD, sn:6333P, equipped w/ Rops Canopy, Cummins engine, hydrostatic transmission, 66 inch drum, 14.9-24 tires, 5,431 hrs

1995 Ingersoll Rand SD-70D, sn:141082

Dynapac CA25, sn:3070S17, equipped w/ open station, Cat 3208 Reman engine, hydrostatic transmission, 84 inch drum, Goodyear tires, *note: inoperable, transmission needs repairs

1998 Bomag BW142D, sn:109510120414, equipped w/ Rops Canopy, Deutz engine, hydrostatic transmission, 56 inch drum, 14.9-24 tires, 1,201 hrs





















COMPACTION EQUIPMENT - VIBRATORY PAD FOOT COMPACTORS

2007 Sakai SV505T, sn:VSV16-50463, equipped w/ Rops Canopy, Cummins engine, hydrostatic transmission, 84 inch drum, 23.1-26 tires, 2,422 hrs 2006 Sakai SV400T, sn:VSV15-30198,

equipped w/ Rops Canopy, Cummins engine, hydrostatic transmission, 66 inch drum, 16.9-24 tires, 2,549 hrs

2006 Sakai SV201TB, sn:VSV14T10150, equipped w/ Rops Canopy, Cummins B3.3 engine, hydrostatic transmission, 54 inch drum, hydraulic dozer blade attachment, 11.2-20 tires, 1,594 hrs

Sakai SV70TF, sn:30181, equipped w/ open station, Mitsubishi diesel engine, hydrostatic transmission, 66 inch drum, 16.9-24 tires, 2,653 hrs

COMPACTION EQUIPMENT - PNEUMATIC ASPHALT ROLLERS

Ingersoll Rand PT-125, sn:6049SFC, equipped w/ Roll Bar, Cummins engine, hydrostatic transmission, (9) compaction wheels, water spray system

Bomag BW12R, sn:106610010301, equipped w/ open station, Cummins 4 cyl engine, hydrostatic transmission, (9) compaction wheels, water spray system, 3,581 hrs

COMPACTION EQUIPMENT -STATIC ASPHALT ROLLERS

2001 Hypac C330B, sn:109B15803678, equipped w/ Rops Canopy, Isuzu engine, hydrostatic transmission, 40 inch front split drum, 42 inch rear drum, water spray system, 1,609 hrs

Dresser 4-6B, sn:R250002U061659, equipped w/ open station, 4 cyl diesel engine, hydrostatic transmission, 42 inch front drum, 40 inch rear split drum, tow package, water spray system

BROOM TRACTORS

2004 Rosco Sweep Pro, sn:38726, equipped w/ A/C Cab, Cummins B3.3 engine, hydrostatic drive, work light package, 8 ft broom, water spray, ST225/75 R 15 tires, 4,619 hrs

2001 New Holland TN65D, equipped w/ Enclosed Cab, 3 cyl (65HP) engine, work light package, three point hitch, pto, draw bar, Challenger 6 ft front mount sweeper broom attachment

TRENCH COMPACTORS

2005 Rammax P33/24FMR, sn:3536185, equipped w/ Faryman diesel engine, walk behind operation, 33 inch padded drums, 403 hrs 2005 Rammax P33/24HHMR, sn:1536201, equipped w/ Hatz diesel engine, remote, walk behind operation, 33 inch padded drums, 1.243 hrs

2006 Wacker RT, sn:5668729, equipped w/
Lombardini diesel engine, 33 inch padded
drums, articulating frame, remote, 1,069 hrs
Stone RD33HR, sn:3321173, equipped w/ Hatz
diesel engine, walk behind operation, 33 inch
padded drums, low meter hrs

CONCRETE EQUIPMENT

2000 Gomaco GT-6200 Commander II Curb & Gutter Paving Machine, sn:903300-063, equipped w/ Cummins engine, hydrostatic drive, variable speed control, steel tracks, 12 inch pads, 48 inch trimmer head, vibrators, conveyor system, molds & accessories

Stone SGC20G Groutzilla Grout Placement System, sn:052012318, equipped w/ Honda GX390 engine, skid mounted, 20 cu ft capacity, swivel hopper, forklift pockets, unused 1995 Schwing P88 Concrete Pump, sn:171088314, equipped w/ Wisconsin gas engine, six section of hoses, accessories, trailer mounted

HORIZONTAL BORING MACHINES

Richmond 24C, sn:402646, equipped w/ VM 2 cylinder diesel engine, 3 speed transmission, 30 ft total track, master saddle, pusher

LOADER BACKHOES

APPROX. 9:00 AM SELLING TIME

1998 Cat 436C (4x4), sn:8TN00503, equipped w/ Rops Canopy, turbo engine, all wheel steering, work light package, 4-n-1 loader bucket, standard stick, 24 inch hoe bucket

2004 Cat 430D IT (4x4),

sn:CAT0430DABML04889, equipped w/ A/C Cab, Cat 3054 engine, all wheel steering, work light package, hydraulic quick coupler system, loader bucket, extend-a-hoe, Cat 30 inch hoe bucket

Cat 426, sn:7BC00833, equipped w/ Rops Canopy, Perkins engine, power shuttle transmission, 2wd, work light package, gp loader bucket, standard stick, 24 inch hoe bucket 1995 Cat 416B (4x4), sn:8SG08704, equipped w/ Rops Canopy, Cat 3054 engine, work light

24 inch hoe bucket, 3,318 hrs

Cat 416, sn:5PC09253, equipped w/ Rops
Canopy, Perkins engine, power shuttle transmission, 2wd, work light package, 4-n-1
loader bucket, standard stick, 30 inch hoe

package, 4-n-1 loader bucket, standard stick,



bucket

1996 Deere 710D (4x4), sn:T0710D0820809, equipped w/ Rops Canopy, turbo engine, shuttle shift transmission, work light package, 4-n-1 loader bucket, flip-over pallet forks, standard stick, 36 inch hoe bucket, 4,238 hrs

1999 Deere 410E (4x4), sn:T0410EX873688, equipped w/ Rops Canopy, turbo engine, work light package, 4-n-1 loader bucket, flip-over pallet forks, extend-a-hoe, 36 inch hoe bucket, 3,781 hrs

Deere 410B, sn:T0410BB708897, equipped w/ Enclosed Cab, turbo engine, 2wd, work light package, gp loader bucket, extend-a-hoe, 24 inch hoe bucket

1997 Deere 310SE (4x4), sn:T0310SE828489, equipped w/ Rops Canopy, turbo engine, work light package, 4-n-1 loader bucket, flip-over pallet forks, extend-a-hoe, quick connect 24 inch hoe bucket

1999 Deere 310SE (4x4), sn:877662, equipped w/ Rops Canopy, turbo engine, work light package, gp loader bucket, extend-a-hoe, 24 inch hoe bucket

2001 Fermec 860SB (4x4),

sn:SMFB44LC0Y8EM3455, equipped w/ A/C Cab, 90HP engine, power shuttle transmission, work light package, 4-n-1 loader bucket, standard stick, auxiliary hoe hydraulics, quick coupler, Wain Roy 24 inch swivel hoe bucket

2001 Fermec 860SB (4x4),

sn:SMFB44EC0Y8EM3472, equipped w/ A/C Cab, 90HP engine, power shuttle transmission, work light package, 4-n-1 loader bucket, extend-a-hoe, auxiliary hoe hydraulics, Wain Roy 48 inch swivel quick connect hoe bucket 1995 Case 580 Super K (4x4), sn:JJG0184794,

equipped w/ Enclosed Cab, Case 4T-390 engine, work light package, 4-n-1 loader bucket, standard stick, third valve, Wain-Roy 48 inch swivel hoe bucket

1995 Case 580 Super K (4x4), sn:JJG0185709, equipped w/ Enclosed Cab, Case 4T-390 engine, work light package, 4-n-1 loader bucket, standard stick, third valve, Wain-Roy 48 inch swivel hoe bucket

Case 580 Super E (4x4), sn:17032669, equipped w/ Enclosed Cab (missing front glass panel), work light package, gp loader bucket, extend-a-hoe, 16 inch hoe bucket, 4.821 hrs

2003 New Holland LB75B (4x4),

sn:031036381, equipped w/ Rops Canopy, work light package, 4-n-1 loader bucket, flip-over forks attachment, standard stick, 16 inch hoe bucket

2003 New Holland LB75B (4x4),

sn:031036377, equipped w/ Rops Canopy, work light package, 4-n-1 loader bucket, flipover forks attachment, standard stick, 30 inch hoe bucket

2002 New Holland 555E, sn:031028472, equipped w/ Rops Canopy, work light package, 2wd, gp loader bucket, standard stick, 36 inch hoe bucket

1996 New Holland 555E, sn:031002351, equipped w/ Enclosed Cab, 4-gear transmission, 2wd, work light package, 4-n-1 loader bucket, standard stick, 24 inch hoe bucket, 3,811 hrs

1995 Ford 655D (4x4), sn:A430916, equipped w/ A/C Cab, work light package, 4-n-1 loader bucket, extend-a-hoe, 24 inch hoe bucket, 3,329 hrs

2003 Kubota B21 (4x4), sn:62667, equipped w/Rops Canopy, Kubota diesel engine, hydrostatic transmission, brush guard, light package, gp loader bucket, standard stick, 12 inch hoe bucket, 844 hrs

2005 Bobcat B250T (4x4), sn:572211029, equipped w/ Rops Canopy, Kubota engine, hydrostatic transmission, work light package, quick connect loader bucket, slide shift hoe, aux hyd outlets, 18 inch quick connect hoe bucket, 1,801 hrs

SKIP-LANDSCAPE LOADERS

Deere 210C, sn:T0210CC790011, equipped w/ Rops Canopy, 2wd, work light package, Midwestern M06R-12S side boom attachment, three point hitch, draw bar

SKID STEER LOADERS

2009 Deere CT332, sn:T0332TJ174114, equipped w/ A/C Cab, PowerTech 5030Tw engine, joystick controls, rubber tracks, work light package, auxiliary hydraulics, 4-n-1 loader bucket

2009 Deere CT332, sn:T0332TJ170537, equipped w/ Rops Canopy, PowerTech 5030Tw engine, joystick controls, rubber tracks, work light package, auxiliary hydraulics, 4-n-1 loader bucket

2008 Takeuchi TL150, sn:21503783, equipped w/Rops Canopy, Yanmar engine, rubber tracks, work light package, auxiliary hydraulics, gp loader bucket

2007 Takeuchi TL150, sn:21503726, equipped w/ Rops Canopy, Yanmar engine, rubber tracks, work light package, auxiliary hydraulics, 4-n-1 loader bucket

























2006 Gehl 6640E, sn:GHL06640K00606357, equipped w/ Rops Canopy, Deutz turbo engine, auxiliary hydraulics, 12-16.5 tires, 1,817 hrs

2000 Gehl 6635SXT, sn:12201, equipped w/ Rops Canopy, Deutz turbo engine, work light package, auxiliary hydraulics, 4-n-1 loader bucket

2002 Toro Ďingo TX-425 Mini, sn:220000521, equipped w/ Kohler 25HP engine, hydrostatic track drive, wide track series, walk behind operation, rubber tracks, aux hydraulics, quick attach loader bucket, meter reading: 141 hrs

2005 Toro Dingo TX-420 Mini, sn:250000158, equipped w/ Kohler 20HP engine, hydrostatic track drive, walk behind operation, rubber tracks, aux hydraulics, quick attach loader bucket, meter reading: 172 hrs

TRENCHERS

Case 760 Combo Trencher, sn:JAF0022888, equipped w/ Roll Bar, 4 cyl diesel engine, 4x4, backhoe attachment, vibratory plow, backfill dozer blade, 18.00-20 tires

Burkeen B-16 Walk Behind Trencher, sn:516127, equipped w/ Onan Performer 16XSL engine, 4 ft trench bar

TRENCH BOXES

Efficiency 8 ft x 20 ft Steel Trench Shield, sn:72230, equipped w/ 4 inch walls GME 8 ft x 20 ft Steel Trench Shield.

sn:M001223152, equipped w/ 4 inch walls

CARRY DECK CRANES

Shuttlelift 3330C, sn:1007-1288, equipped w/ Rops Canopy, Cummins engine, 15,000LB lift capability, 3 and 4 section boom, 8 ft jib, outriggers, 36 ft maximum reach height, 10.00-15 tires, 5,327 hrs

TELESCOPIC FORKLIFTS

2008 JLG 1044C-54 Series II, sn:0160037292, equipped w/ Rops Canopy, Deere 4045 engine, 4x4x4, 10,000LB lift capability, 54 ft reach height, frame tilt, work light package, outriggers, 14.00-24TG tires, 3,711 hrs

2005 Terex TH636C, sn:056830, equipped w/ Rops Canopy, Deere 4.5L turbo engine, 4x4x4, 6,000LB lift capability, 36 ft reach height, work light package, sway control, 13.00-24 tires, 4,679 hrs

sway control, 13.00-24 tires, 4,679 hrs

2005 Terex TH636C, sn:056814, equipped w/ Rops
Canopy, Deere 4.5L turbo engine, 4x4x4, 6,000LB
lift capability, 36 ft reach height, work light package,
sway control, 13.00-24 tires

AERIAL BOOM LIFTS

1995 JLG 60HA (4x4), sn:0167150300021514, equipped w/ 60 ft platform reach height capability, dual fuel engine (propane/gasoline), 500LBS rated capacity, platform rotation, 8 ft basket, 15-19.5 tires JLG 60H (4x4), sn:0308509614, equipped w/ 60 ft platform reach height capability, Deutz air cooled engine, 500LBS unrestricted capacity rating, platform rotate, 8 ft basket, 14-17.5 all terrain tires, re-

manufactured in 2001 **JLG 60H (4x4)**, sn:0308710315, equipped w/ 60 ft platform reach height capability, dual fuel engine (LP/gasoline), 500LBS unrestricted capacity rating, platform

rotate, 8 ft basket, 14-17.5 all terrain tires, remanu-

factured in 2001, 3,291 hrs, remanufactured in 2001 JLG 60H (4x4), sn:0308509615, equipped w/ 60 ft platform reach height capability, dual fuel engine (propane/ gasoline), 500LBS rated capacity, platform rotation, 8 ft basket, 14-17.5 all terrain tires, remanufactured in 2001, low meter hrs, remanufactured in 2001

Marklift 30KBDF, sn:988M3547, equipped w/ 30 ft platform reach height capability, dual fuel engine (propane/gasoline), 500LBS rated capacity, articulating boom, rotate, 4 ft basket, 235/60R 14 tires

1999 Terex TA30N, sn:7920, equipped w/ 30 ft platform height reach capability, electric powered, articulating boom, 500LB platform capacity rating, 4 ft basket, 7.00-12 mono-matic tires

FORESTRY EQUIPMENT

2003 Deere 2054 Forestry Swing Machine, sn:FF2054X200072, equipped w/ A/C Cab, 6 cyl turbo engine, cage cab protection, 27.5 inch pads, work light package, plumbed auxiliary hydraulics, Waratah HTH 620 saw head attachment, meter reading: 13,015 hrs Woods SG100 Stump Grinder Attachment,

sn:940441, pto driven, hydraulic controls, fits three point hitch tractors

UTILITY TRACTORS

2012 Kubota M7040 (4x4), sn:86823, A/C Cab, Kubota 3.3L (70HP) engine, hydraulic shuttle transmission, work light package, brush guard, Kubota LA153 front loader attachment, quick attach loader bucket, three point hitch, pto, single hydraulic remote, draw bar, 16.9-30 rear tires, low meter hrs, *note: warranty valid until 2015

2010 Kubota M7040, sn:21009, A/C Cab, Kubota 3.3L (70HP) engine, sync shuttle transmission, 2wd, work light package, brush guard, three point hitch, pto, single hydraulic remote, 16.9-30 rear tires, low meter hrs

2006 New Holland TM130 (4x4), sn:ACM213946, equipped w/ A/C Cab, forestry rops package, 7.5L (130HP) 6 cyl engine, power command transmission, work light package, three point hitch, pto, dual hydraulic valve outlets, Alamo MP60 slope mower attachment, 60 inch mowing deck, Galaxy 28L-26 Steel Logger rear tires, 4,383 hrs

1998 Ford-New Holland 8360, sn:107900B, equipped w/ A/C Cab, 6 cyl (120HP) engine, partial power shift transmission, 2wd, work light package, pto, dual hydraulic remotes, Alamo BA50 slope mower attachment, 18.4 R 38 rear dual tires

Ford 8340 Powerstar SLE, sn:BD52010, Enclosed Cab, 6 cyl (110HP) engine, 2wd, work light package, Bush Hog 3226QT front loader attachment, quick attach loader bucket, three point hitch, pto, dual hydraulic remotes, draw bar, 18.4-38 rear tires, 4,417 hrs

Ford 2810, sn:C732603, equipped w/ Roll Bar, 3 cyl (35HP) diesel engine, 2wd, three point hitch, pto, 16.9-24 rear tires, 2.881 hrs

Massey Ferguson 383, sn:D14396, Enclosed Cab, Perkins 4 cyl engine, work light package, 2wd, Great Bend 440 front loader attachment, quick attach loader bucket, three point hitch, pto, dual hydraulic remotes, draw bar, 18.4-30 rear tires

1998 Massey Ferguson 240, sn:F41124, equipped w/ Roll Bar, Perkins 3 cyl (45HP) engine, 2wd, work light package, Bush Hog 2426QT front loader attachment, gp loader bucket, three point hitch, pto, dual hyd remote outlets, draw bar, 13.6-28 rear tires, 2,046 hrs

Case International 585, sn:B500223B023457, equipped w/ 4 cyl (60HP) diesel engine, 4-speed (hi/lo) transmission, 2wd, three point hitch, pto, single hydraulic remote, 16.9-24 rear tires, hydraulic driven 6 ft broom rear attachment

1999 John Deere 6410 (4x4), sn:L06410V212182, equipped w/ A/C Cab, 4 cyl (104HP) engine, power quad transmission, work light package, three point hitch, two speed pto, dual hydraulic remote valves, 12.4-24 front tires, 18.4-30 rear tires, 2,101 hrs

GENERATOR SETS

Kato 800-680361111 (720 KW) Synchronous AC Generator Set, sn:82827-109, equipped w/ Cat D398 (912HP) engine, sn:66B09208, rops canopy protection package, 720 KW Cont, 60 Hz, 3 Phase, 900 KVA Cont, 8 P.F., 1200 RPM, 277/480 voltage, 350 MCM-3 Type G-GC 2000 V P-122 MSHA CPE hose sections

1996 Cat SR-4B (680 KW) Generator Set, sn:6EJ00715, equipped w/ Cat 3412 (1011HP) engine, skid mounted, safety enclosure, 850 KVA, 0.8 COS, 60 Hz, 480 volts, 1022 amps

2007 Magnum MMG125 (90 KW) Generator Set, sn:073372, equipped w/ John Deere 6.8L diesel engine, 90 KW 60Hz, Cont rating, 124KVA, trailer mounted, *note: engine runs, generator needs repairs Wen Power 2200 Power Pro Generator Set, equipped w/ 5.5HP gas engine, 2200 watt, skid mounted, electronic ignition, 120/240 volts, 60 Hz, unused Predator 6500 Watt Gas Generator Set, skid mounted, 120/240 volts, 420cc gas engine

AIR COMPRESSORS

2008 Sullair 185CA, sn:200806130019, equipped w/Cat C2.2 engine, 185 CFM capability, 125 PSIG, trailer mounted, 1,078 hrs

1998 Atlas XAS96JD, sn:4500A0616WH607713, equipped w/ John Deere diesel engine, 185 CFM ca-

pability, trailer mounted

Joy-Sulfivan D01850, sn:203114, equipped w/ John Deere 4239DF engine, 185 cfm, 175 psi capability, air hose, jack hammer, accessories, trailer mounted, 1,836 hrs

ATTACHMENTS & SUPPORT EQUIPMENT

(15) 2012 SEC Hydraulic Excavator Stick Extension Attachments, equipped with 42 inch to 46 inch ditching cleaning buckets, reach capability from 46 ft to 60 ft, unused, fits 16,000LB to 80,000LB size hydraulic excavators, attachment will fit Cat, Komatsu, Deere, Hitachi, Kobelco, Samsung, and other manufacture machines Eversman 4512 Automatic Land Leveler, sn:11203, pull type attachment, equipped w/ hydraulic scraper

controls, 12 ft working width capability
(3) National Crane (8,400LB CAP.) Crane Load

(3) National Crane (8,400LB CAP.) Crane Load Block and Cribbing Plates

Industrial Disc Harrow Attachment, equipped w/ heavy duty frame, 10 ft working width, (26) disc blades, fits three point hitch tractors

Long 1200 Backhoe Attachment, sn:5447, equipped w/ 20 inch hoe bucket, two lever controls, stabilizer legs, fits three point hitch tractors

2012 SEC Concrete Crusher Excavator Attachment, fits Komatsu PC300, Deere 270, Hitachi ZX270, and other model hydraulic excavators, unused

(3) 2012 SEC 42 Inch Excavator Clam Shell Buckets, fits Komatsu PC200, Cat 320, and other model hydraulic excavators, unused attachment

2012 SEC Excavator Grapple Attachment, unused, fits Hitachi ZX350, Deere 330, and other model hydraulic excavators

2012 SEC General Purpose Wheel Loader Bucket, equipped w/ 125 inch working width capability, unused, fits Cat 966G Wheel Loaders

2012 SEC Quick Attach Pallet Forks Attachment, equipped w/ 60 inch forks, unused, fits wheel loaders and tool carriers

2012 SEC V Bucket Attachment, fits Cat 320, Hitachi ZX200, and other model hydraulic excavators, unused Hensley 1.54 Cu Yd Excavator Digging Bucket, 36 inch working width, fits Komatsu PC300LC model machines

CP Paladin Hydraulic Thumb Attachment, fits 40,000LB - 50,000LB hydraulic excavators USA Attachments Root Rake Attachment, 10 ft working width, fits crawler dozers

Deere 24 Inch Loader Backhoe Bucket, fits Deere 710D model machines

Cat General Purpose Wheel Loader Bucket
C & P 24 Inch Excavator Digging Bucket, fits Cat
325 hydraulic excavators

2012 SEC 68 Inch Excavator Digging Bucket, unused, fits Hitachi ZX450, Deere 450, and other model hydraulic excavators

2012 SEC 68 Inch Excavator Digging Bucket, unused, fits Komatsu PC400 and Komatsu PC450 hydraulic excavators

2012 SEC 68 Inch Excavator Digging Bucket, fits Komatsu PC300LC hydraulic excavators, unused attachment 2012 SEC 65 Inch Excavator Digging Bucket, fits Komatsu PC200, Kobelco SK330, other model hy-

draulic excavators, unused attachment **2012 SEC 60 Inch Excavator Digging Bucket**, fits Cat 320, Cat 322, Hitachi ZX200, other model hydraulic excavators, unused attachment

2012 SEC 60 Inch Excavator Digging Bucket, fits Cat 320, Komatsu PC200, other model hydraulic excavators, unused attachment

2012 SEC 60 Inch Excavator Digging Bucket, fits Hitachi ZX200, Deere 690, other model hydraulic excavators, unused attachment

2012 SEC 54 Inch Excavator Digging Bucket, fits Hitachi ZX200, Deere 200, and other model hydraulic excavators, unused attachment

2012 SEC 45 Inch Excavator Digging Bucket, fits Cat 325D, Cat 325C, Komatsu PC300, and other model hydraulic excavators, unused attachment

2012 SEC 45 Inch Excavator Digging Bucket, fits Hitachi ZX200, Hitachi EX160, Deere 690, and other model hydraulic excavators, unused attachment

2012 SEC 45 Inch Excavator Digging Bucket, fits Komatsu PC200, Cat 320, and other model hydraulic excavators, unused attachment

2012 SEC 42 Inch Excavator Digging Bucket, fits Komatsu PC120, Kobelco SK100, and other model hydraulic excavators, unused attachment

2012 SEC 39 Inch Excavator Digging Bucket, fits Komatsu PC200, Cat 320, and other model hydraulic excavators, unused attachment

2012 SEC 36 Inch Excavator Digging Bucket, fits Cat 330C and Cat 330B hydraulic excavators, unused attachment

2012 SEC 24 Inch Excavator Digging Bucket, unused, fits Cat 320, Hitachi ZX200, and other model hydraulic excavators

2012 SEC 83 Inch Hydraulic Tilting Ditch Cleaning Excavator Bucket, fits Cat 330C and Cat 330B hydraulic excavators, unused attachment

2012 SEC 80 Inch Hydraulic Tilting Ditch Cleaning Excavator Bucket, fits Cat 325C, Cat 325B, and other model hydraulic excavators, unused attachment

2012 SEC 72 Inch Hydraulic Tilting Ditch Cleaning Excavator Bucket, fits Cat 320, Hitachi ZX200, and other model hydraulic excavators, unused attachment

2012 SEC 90 Inch Ditch Cleaning Excavator Bucket, fits Komatsu PC450 and Komatsu PC400 hydraulic excavators, unused attachment

2012 SEC 90 Inch Ditch Cleaning Excavator Bucket, fits Hitachi ZX450, Deere 450, and other model hydraulic excavators, unused attachment

2012 SEC 80 Inch Ditch Cleaning Excavator Bucket, unused, fits Komatsu PC400 and Komatsu PC450 Hydraulic Excavators

2012 SEC 80 Inch Ditch Cleaning Excavator Bucket, fits Cat 345D and Cat 345C hydraulic excavators, unused attachment

2012 SEC 80 Inch Ditch Cleaning Excavator Bucket, fits Cat 325D, Cat 325C, Cat 325B, Komatsu PC300, and other model hydraulic excavators, unused attachment

2012 SEC 80 Inch Ditch Cleaning Excavator Bucket, fits Komatsu PC300, Kobelco SK330, and other model hydraulic excavators, unused attachment

2012 SEC 56 Inch Ditch Cleaning Excavator Bucket, fits Komatsu PC60, Kobelco SK60, and other model hydraulic excavators, unused attachment

2012 SEC 48 Inch Skeleton Excavator Digging Bucket, fits Cat 320, Komatsu PC200, other model hydraulic excavators, unused attachment

(20) 2012 Tarter Utility Dirt Scoop Attachments, equipped w/ manual dump lever, unused, fits three point hitch tractors

(2) 2012 Extreme 6 FT Brush Cutter Attachments, equipped w/ push bar, safety chains, unused, fits skid steer loaders

Large Quantity of New Unused Skid Steer Loader Attachments (Loader Bucket, Grapples, Rock Buckets, Stump Buckets, Pallet Forks, Mount Plates, Sweeper Brooms, Material Booms, Bale Spears, Hydraulic Shear, Snow and Mulch Loader Buckets, etc.)































Preview Complete Auction Inventory w/Pictures and Equipment



TRANSPORTATION E Q U I P M E N T

A Partial List to Date includes the Following.

DAY CAB TRUCK TRACTORS - TRI AXLE

2005 Kenworth W900L, sn:1XKWDB9X95J117091, equipped w/ Cat C-15 (475HP) engine, Eaton Fuller 13-speed transmission, cruise, engine brake, differential lock, fifth wheel slide, 12,000LB front axle, 40,000LB rear axles, air lift 3rd axle, Pro Tech headache rack and accessories, Hutchens air ride suspension, Alcoa rims, hydraulic wet line kit, *note: reconstructed title

1995 International 9300 Eagle, equipped w/ Detroit 470HP engine, 10-speed transmission, cruise, engine brake, differential lock, tilt, ac/heat, air slide fifth wheel, 207 wheel base, full locking rears, double frame, aluminum tanks, chrome stack, headache rack, 14,000LB front axle, 46,000LB rear axles, air lift third axle, 4.56 rear gear ratio, air ride suspension, 409,720 miles

DAY CAB TRUCK TRACTORS - TANDEM AXLE

2007 Peterbilt 386, sn:1XPHDU9X27N691865, equipped w/ Cat C-13 (430HP) engine, 13 speed transmission, cruise, engine brake, differential lock, fifth wheel slide, power windows and locks, heated mirrors, 12,000LB front axle, 36,000LB rear axles, air ride suspension, Pro-Tech aluminum headache rack, chrome accessories, Alcoa rims

2005 International 9900i Eagle,

sn:3HSCHAPR85N030160, equipped with Cummins ISX-475HP engine, Eaton Fuller 10-speed transmission, cruise, 3 stage engine brake, fifth wheel slide, power divider lock, power windows and locks, 520 wheel base, 12,000LB front axle, 40,000LB rear axles, air ride suspension, gw rating: 80,000LBS, hydraulic wet line kit, 515,518 miles

2005 International 9900i Eagle,

sn:3HSCHAPRX5N030161, equipped with Cummins ISX-475HP engine, Eaton Fuller 10-speed transmission, cruise, 3 stage engine brake, fifth wheel slide, power divider lock, power windows and locks, 520 wheel base, 12,000LB front axle, 40,000LB rear axles, air ride suspension, gw rating: 80,000LBS, hydraulic wet line kit, 606,136 miles

1999 Kenworth W900, sn:1XKWDB0X8XJ816986, equipped w/ Cat 3406 (550HP) engine, Eaton Fuller 18-speed transmission, cruise, 3 stage engine brake, inter-axle differential lock, double frame, 14,000LB front axle, 52,000LB rear axles, 4.56 rear ratio, Hendrickson walking beam suspension, aluminum wheels 11R 22.5, hydraulic wet line kit, 312,801 miles

1999 Kenworth T800, sn:1XKDDT8X1XJ793715, equipped w/ Cat C-10 (350HP) engine, 10 speed transmission, cruise, 3 stage engine brake, differential lock, fifth wheel slide, gw: 46,850LBS, 4.33 rear axle ratio, air ride suspension, hydraulic wet line kit, 353,212 miles

1985 Ford LT9000, sn:1FDYU90W0FVA45561, equipped w/ Cummins NTC-350HP engine, Roadranger 13-speed transmission, differential lock, sliding fifth wheel, 186 wheel base, gwwr: 44,800LBS, Hendrickson spring suspension

SLEEPER CAB TRUCK TRACTORS – TANDEM AXLE

2001 Freightliner Century Class, equipped w/ Detroit Series 60 12.7L engine, 10 speed transmission, cruise, engine brake, fifth wheel slide, heated mirrors, 60 inch double bunk sleeper cab, 12,000LB front axle, 40,000LB rear axles, air ride suspension

1995 International 9200, sn:2HSFMALR7SC019288, equipped w/ Detroit Series 60 11.1L engine, Spicer 10-speed transmission, cruise, engine brake, fifth wheel slide, power divider lock, 56 inch Pro Sleeper cab, air ride suspension

HYDRAULIC CRANE TRUCKS

Lorain MCH350, sn:37077, equipped w/ 70,000LB lifting capability, Detroit 6 cyl lower engine, Eaton Fuller 13 speed transmission, 4x4x4, Detroit 4 cyl upper engine, 80 ft (3-Section) boom, 25 ft swing away jib, anti two-block, outriggers, 11.00 R 20 tires Ford L7000 – Manitex 956,

sn:1FDPR72P1LVA05623, equipped w/ 6 cyl (6.6L) diesel engine, 6 speed transmission, 222 wheel base, gvwr: 33,000LBS, Manitex 956 aerial boom, 9-Ton lifting capability, 56 ft boom, 20 ft jib, 76 ft total reach height capability, 16 ft flatbed body, (5) outriggers, spring suspension













BUCKET TRUCKS

2000 Ford F-750XL Superduty – Altec AA755L, sn:3FDXF75H7YMA48328, equipped w/ Cat 3126 engine, 7-speed transmission, air brakes, 194 wheel base, gvwr: 33,000LBS, Altec tool body, Altec AA755L aerial boom, sn:1000BZ1555, 60 ft platform height reach capability, material handler, two man bucket, tool outlets, (4) post outriggers, tow package, 85,357 miles

WATER TRUCKS

1985 Ford LT8000 - Hydro Force 4000.

sn:1FDYL80U3FVA05793, equipped w/ Cat 3208 engine, Eaton Fuller 13 speed transmission, air brakes, differential lock, 196 wheel base, gvwr: 50,000LBS, Hendrickson spring suspension, 4,000 gallon water tank, hose, rear water spray system, tandem axle

DUMP TRUCKS – TRI AXLE

1993 Mack CH613, sn:1M2AA13Y5PW022121, E7-350HP Mack engine, Eaton Fuller 10 speed, cruise, 12,000LB front axle, 40,000LB rear axles, air lift 3rd axle, camelback suspension, OX 16 ft (15-17 yd) dump body, mountain tarp system

DUMP TRUCKS - SINGLE AXLE

1995 International 4700 Crew Cab,

sn:1HTSCABL1SH637998, equipped w/ DT444E engine, Spicer 5x2 manual transmission, cruise, air brakes, 176 wheel base, 8,000LB front axle, 17,500LB rear axle, 10 ft dump body, electric tarp system, tow package, 119,279 miles

1995 International 4700 Crew Cab, sn:1HTSCA-BLXSH637997, equipped w/ DT444E engine, Spicer 5x2 manual transmission, cruise, air brakes, 176 wheel base, 8,000LB front axle, 17,500LB rear axle, 10 ft dump body, electric tarp system, tow package

1980 Ford F700, sn:F70HVJA5671, equipped w/ V8 gas engine, 5x2 manual transmission, air brakes, 171 wheel base, gvwr: 27,500LBS, 14 ft flatbed dump body, removable side panels

1979 Ford F600, sn:NCS82224@F61MCDG7849, equipped w/ V8 gas engine, 4x2 manual transmission, 14 ft flatbed dump body, removable side panels

ROLL BACK TRUCKS

2006 Ford F-550XL Superduty Dually,

sn:1FDAF56P86EC93660, equipped w/ Powerstroke V8 turbo diesel engine, 6 speed transmission, cruise, work light package, Jerr-Dan 19NGAF aluminum roll back body, Ramsey winch, tow hitch

DRY VAN TRUCKS

2006 Freightliner M2106 Century Class,

sn:1FVACXDC06HV56168, equipped w/ Cat C-7 (210HP) Acert engine, Eaton Fuller 6-speed transmission, cruise, air brakes, 12,000LB front axle, 21,000LB rear axle, 270 wheel base, spring suspension, Morgan 26 ft van body, slide out loading ramp

2002 GMC C6500, sn:1GDK7H1CX2J501563, equipped w/ Cat 3126 (210HP) engine, 6 speed transmission, air brakes, 8,100LB front axle, 19,000LB rear axle, Supreme Corp 18 ft van body, Maxon 2,500LB lift gate attachment

FLATBED TRUCKS

2004 International 4300.

sn:1HTMMAAM54H596584, equipped w/ DT466 engine, automatic transmission, cruise, 8,000LB front axle, 17,500LB rear axle, 12 ft deck, 6 ft beavertail, loading ramps

1995 International 4700,

sn:1HTSMABM3SH636969, equipped w/ T444E engine, Lo-Profile cab, automatic transmission, 142 wheel base, gvwr: 20,780LBS, 10 ft dump body, tow package, 146,199 miles

2000 Ford F-450XL Superduty,

sn:1FDXF46F0TEA60368, equipped w/ 7.3L Powerstroke V8 diesel engine, automatic transmission, ac/heat, 2wd, 11 ft flatbed body, tool boxes, tow package, 166,024 miles

1998 Ford F-Series, sn:1FDNF80C8WVA31128, equipped w/ Cummins 5.9L engine, Allison automatic transmission, 207 wheel base, 7,000LB front axle, 19,000LB rear axle, 12 ft deck, 4 ft beavertail, Gorilla-Lift loading tailgate, 113,142 miles

Ford L8000, sn:1FDPR82A5MVA04249, equipped w/ 6 cyl 7.8L diesel engine, 5 speed transmission, 234 wheel base, gvwr: 33,000LBS, spring suspension, 16 ft bed, rear hydraulic loading lift gate attachment

2000 Chevrolet C6500, sn:1GBJ7H1B6YJ502875, equipped w/ V8 7.4L gas engine, 5x2 manual transmission, gvwr: 25,950LBS, spring suspension, 14 ft bed, removable side panels, 114,402 miles

CAB & CHASSIS TRUCKS

2005 GMC C7500, sn:1GDK7C1385F528156, equipped w/ Duramax diesel engine, automatic transmission, cruise, air brakes, diff lock, 10,000LB front axle, 19,000LB rear axle, spring suspension

1985 Ford LT9000, sn:1FDYU80UXFVA41390, equipped w/ Cat 3208 engine, automatic transmission, differential lock, 204 wheel base, gvwr: 30,000LBS, Hendrickson spring suspension

FUEL & LUBE TRUCKS

1998 Ford F-Series, equipped w/ Cummins engine, Allison automatic transmission, Elliott fuel and lube body, work light package, (5) product tanks, Reelcraft hoses and reels, pto driven air compressor

FUEL TANKER TRUCKS

1979 Chevrolet C70 Custom Deluxe,

sn:C17DB9V122112, equipped w/ V8 gas engine, 5x2 manual transmission, gvwr: 27,500LBS, 2,000 gallon tank, Tuthill meter register, Reelcraft hose and reel, nozzle

1975 Chevrolet C65, sn:CCE665V156478, equipped w/ V8 gas engine, 5x2 manual transmission, gvwr: 23,160LBS, 2,000 gallon tank, A.O. Smith meter register, hose, reel, nozzle

1975 Ford F750, sn:F75FVW86796, equipped w/ V8 391 gas engine, 5x2 manual transmission, 176 wheel base, gvwr: 27,500LBS, 2,000 gallon tank, Tuthill meter register, hose, reel, nozzle

SERVICE UTILITY TRUCKS

2005 Ford F-350XL Superduty,

sn:1FDSF35P55EC07147, equipped w/ Powerstroke turbo diesel engine, 6 speed transmission, 2wd, ac/heat, winch bumper, Reading 9 ft service body, tow package

1995 Chevrolet 2500, sn:1GBGC24K6SE159175, equipped w/ 5.7L gas engine, automatic transmission, 2wd, Reading tool body

1992 Chevrolet 3500 Dually,

sn:1GBJC34K9NE214329, equipped w/ 5.7L gas engine, automatic, 2wd, Reading 9 ft tool body, off road diesel fuel tank, Fill-Rite 15 gpm electric pump, hose and reel

PICKUPS

2005 Dodge Ram 1500 SLT Crew Cab (4x4) 2005 Dodge Ram 1500 SLT Crew Cab 2005 Dodge Ram 1500 SLT Crew Cab 2005 Ford F-350XL Superduty Crew Cab (4x4)

2004 Ford F-350XL Superduty Crew Cab

1999 Ford F-350XL Superduty Crew Cab

2006 Ford F-250XL Superduty

2004 Ford F-250XL Superduty Crew Cab (4x4)

2008 Ford F-150XLT Crew Cab

2006 Ford F-150XLT

2004 Ford F-150XL Extended Cab

2002 Ford F-150XLT Super Crew Cab

2000 Ford F-150XL Extended Cab

1999 Ford F-150XL

1999 Chevrolet 3500 Silverado LS Crew Cab (4x4)

2006 Chevrolet 1500 Silverado LT

2004 Chevrolet 1500 Silverado LS (4x4)

(3) 2004 Chevrolet 1500 Silverado

2003 Chevrolet 1500 Silverado

2003 Chevrolet 1500 Silverado

2001 Chevrolet 1500 Silverado LS

2001 Chevrolet 1500 Silverado

2000 Chevrolet 1500 Silverado (4x4)

2000 Chevrolet 1500 Silverado

1977 GMC Sierra Classic 35 Dually

1997 GMC 1500 Sierra SL

PASSENGER VANS

1998 Chevrolet Express 2500

1998 Chevrolet 2500

1996 Chevrolet Sport

1995 Chevrolet Chevy Van 20

1994 Chevrolet Chevy Van 10

SPORT UTILITY VEHICLES

2004 Chevrolet Trail Blazer LS

2003 Chevrolet Trail Blazer LT (4x4)

2003 Chevrolet Trail Blazer LS

AUTOMOBILES

2001 Ford Taurus SE

2000 Mercury Grand Marquis LS

1992 BMW 325i Convertible

CLASSIC COLLECTOR AUTOMOBILES

1956 Ford Crown Victoria Coupe,

sn:M6EW185105, equipped w/ Thunderbird V8 gas engine, automatic transmission, air condition, fm/am stereo system, odometer reading: 79,099 miles

LOWBOY TRAILERS – TANDEM AXLE

Rogers 25DSF24, sn:20316, equipped w/ 25 ton hauling capability, ground bearing, 8 ft x 24 ft load deck, spring suspension, deck over wheels, tandem axle, 255/70R 22.5 tires

Rogers TT22G Tilt Deck, sn:3289, equipped w/ 22-Ton hauling capability, fixed neck, 8 ft x 26 ft deck, wood floor, spring suspension, tandem axle, 8.25 R 15 tires

EQUIPMENT TRAILERS

2005 Hefty 24 FT Gooseneck,

sn:5NKGC24255P001051, equipped w/ 9,900LB hauling capability, 6 ft 11 in x 24 ft deck, wood floor, electric brakes, LED lights, lockable tool box, loading ramps located in rear pockets, spare tire, tandem axle, LT235/85R 16 tires

Hyster HP20T Tilt Deck Tag, sn:12675, equipped w/ 20 ton hauling capability, 8 ft x 18 ft load deck, wood floor, spring suspension, tandem axle, 10.00 R 15 tires

Hudson HTB20 Tilt Deck Tag, sn:HTB7917, equipped w/ 10 ton hauling capability, 8 ft x 20 ft load deck, wood floor, tandem axle, spring suspension, 8-14.5LT tires

2003 Hudson 6-Ton, sn:10HHSE16031000145, equipped w/ 6 ft 6 in x 16 ft deck, wood floor, 5 ft folding loading ramps, tandem axle, 8-14.5LT tires

END DUMP TRAILERS - TRI AXLE

1997 Summit AD2621, sn:1S8AD2621V0009564, equipped w/ 26 ft aluminum dump body, gvwr: 65,000LBS, 45,000LB rear axles, air lift 3rd axle, Neway Anchorlock spring suspension, 11R 24.5 tires, Webb hubs, Alcoa rims, Cramaro tarp system

1997 Summit AD2621, sn:1S8AD2628V0009562, , equipped w/ 26 ft aluminum dump body, gvwr: 65,000LBS, 45,000LB rear axles, air lift 3rd axle, Neway Anchorlock spring suspension, 11R 24.5 tires, Webb hubs, Alcoa rims, Cramaro tarp system

DRY VAN TRAILERS

2001 Wabash DVCVHPC-53,

sn:1JJV532W81L755883, equipped w/ 102 inch x 53 ft body, gvwr: 68,000LBS, 40,000LB rear axles, adjustable axles, Hutchens spring suspension, tandem axle, 295/75R 22.5 tires

UTILITY TRAILERS

2013 Bluegrass UT16WT,

sn:002013UT000112738, equipped w/ 6,000LB hauling capability, 6 ft 4 in x 16 ft deck, wood floor, tandem axle, ST205/75D 15 tires

CAR HAULER TRAILERS

1998 Kaufman Tri-Axle Wedge Car Trailer,

sn:15XFW4834W1000089, equipped/ 50 ft length, gooseneck, gvwr: 15,000LBS, Champion 8,000LB winch, tool storage box, loading ramps, LT245/75R 16 tires

CARGO TRAILERS

2000 Homesteader 6125S,

sn:5HABA1210Y1009096, equipped w/ 6 ft x 12 ft body, 2,990LB hauling capability, single axle, side door entrance, rear loading ramp door, ST205/75D 14 tires

BOAT TRAILERS

Long Aluminum Boat Trailer, sn:DFG7213, equipped w/ 18 ft total length, single axle, spare tire, winch, B78-13 ST tires

ALL TERRAIN VEHICLES – UTILITY CARTS

2008 Kubota RTV900 (4x4), equipped w/ Rops Canopy, windshield, diesel engine, power steering, brush guard, utility dump body, 25 x 10.00-12 tires, 1,874 hrs

2006 Club Car Carry All 2, equipped w/ Canopy, gas engine, manual dump cargo bed

2009 Kawasaki Mule 610 (4WD), equipped w/ Roll Bar, gas engine, light package, manual cargo bed, 24.00-9.00-10 tires, 648 hrs

2008 Kawasaki Mule 610 (4WD), equipped w/ Rops Canopy, windshield, gas engine, light package, differential gear lock, cargo bed, 109 hrs

2007 Kawasaki Mule 3000, equipped w/ Rops Canopy, windshield, gas engine, brush guard, light package, manual dump cargo bed, tow hitch, 1,811 hrs

1999 Yamaha Bear Tracker, equipped w/ front & rear cargo racks

GOLF CARTS

(10) 2009 Club Car Precedent Golf Carts, equipped w/ Canopy, windshield, electric powered, 48 volt system, aluminum frame, two passenger, battery charger

2005 Club Car Villager Golf Cart, equipped w/ Canopy, gas engine, six passenger 2003 E-Z Go Electric Golf Cart













JOHN DEERE 8430 4WD









AGRICULTURAL E Q U I P M E N T

A Partial List to Date Includes the Following

AGRICULTURAL TRACTORS

1997 Challenger 45 Belted, sn:1DR01084, equipped w/ A/C Cab, Cat 6.6L (240HP) engine, 16F/9R gear transmission, work light package, rubber tracks, 26 inch pads, three point quick hitch, pto, four hydraulic valve outlets, tow hitch

John Deere 8430 (4wd), sn:8430H001493R, equipped w/ Enclosed Cab, 6 cyl (290HP) engine, quad range transmission, work light package, articulating frame, three point hitch, pto, dual hydraulic remote outlets, draw bar, 20.8-38 dual tires

John Deere 4630, sn:4630H030882R, equipped w/ Enclosed Cab, 6 cyl (150HP) engine, work light package, three point quick hitch, pto, draw bar, dual hydraulic remote outlets, Super All Traction 20.8 R 30 rear dual tires

2009 Case International MX110 Maxxum Series (4x4), sn:JJA0084112, equipped w/ A/C Cab, 4 cyl (110HP) engine, synchro shift transmission, work light package, three point quick hitch attachment, pto, draw bar, triple hydraulic remote valves, 14.9 R 28 front tires, 18.4 R 38 rear tires

Case International 2394, sn:9934395, equipped w/ Enclosed Cab, 6 cyl (162HP) engine, 2wd, light package, three point hitch, pto, draw bar, dual hydraulic remote valves, 18.4-38 rear dual tires

1975 International Harvester Farmall 140, sn:56639J, equipped w/ 4 cyl gas engine, brush guard, pto, fast hitch, 12.4-24 rear tires

1970 International Harvester Farmall 140, sn:44096JKK, equipped with 4 cyl gas engine, 4 forward/1 reverse transmission, fast hitch, pto, cultivator attachments, 12.4-24 rear tires

John Deere Model A, tri-cycle series, 12.4-36 rear tires, *note: inoperable

AGRICULTURAL – SPRAYING AND NUTRIENT AP-PLICATION EQUIPMENT

1997 John Deere 4700 Self-Propelled Sprayer, sn:N04700X000327, equipped w/ A/C Cab, 6 cyl (6.8L) 185 pto horsepower engine, hydrostatic transmission, work light package, front weights, Greenstar monitor cab controls, agitation, spray rate and foam controls, traction control, Knappco 750 gallon stainless steel tank, 90 ft spray width capability, 320/85R 38 tires, wheel shields, 4,203 hrs

Great Plains SA1000PH Pull Type Agricultural Sprayer, sn:S1678, 1000 gallon tank, 13.6-28 tires Hardi 800-Gallon Pull Type Agricultural Sprayer, equipped w/ Hypro pump, pto driven, hydraulic fold spray arms, 68 ft spraying width, tandem axle running gear, 11L-15SL farm utility tires

AGRICULTURAL – TILLAGE EQUIPMENT

Case International 770 Offset Disc Harrow, sn:JAG0177182, equipped w/ (24) disc blades, pull type attachment, hydraulic controls, 10 ft 8 in width Case International Dual Hydraulic Fold Disc Har-

row, pull type, 70 ft working width capability Case Off-Set Disc Harrow, equipped w/ (22) disc

blades, pull type attachment

International Harvester 420 Plow,

sn:1050000U007039, equipped w/ 4-row capability, fits three point hitch tractors

John Deere MK20 Off-Set Disc Harrow, sn:1223, equipped w/ 10 ft working width capability, (24) disc blades, hydraulic controls, 11L-15SL tires, pull type attachment

John Deere Pull Type Disc Harrow, equipped w/ 12 ft working width capability, (24) disc blades, hydraulic controls, G78-15 tires, pull type attachment

John Deere 620 Disc Harrow, sn:N00620X000756, pull type attachment, 12 ft working width capability John Deere Disc Plow Attachment, equipped w/ (8) disc blades, fits three point hitch tractors

John Deere 825 Field Cultivator,

sn:N00825X013956, fits three point hitch tractors

John Deere 4-Row Bottom Plow, fits three point
hitch tractors

Ford 219 Off-Set Disc Harrow, sn:1067, equipped w/ (22) disc blades, model number: 11M19, pull type attachment

KMC KELLEY Ripper Bedder Attachment, equipped w/ distributors, row markers, two row, fits three point hitch tractors

(4) Drag Harrow Attachments

AMCO Disc Harrow, dual hydraulic fold
Fast Hitch Disc Harrow Attachment, fits Farmall 140
model tractors

Lilliston Rolling Cultivator Attachment, equipped w/distributors, two row, fits three point hitch tractors (15) 2012 Tarter Field Cultivators, equipped w/72 inch working width capability, (13) adjustable S-Curve tines, unused, fits three point hitch tractors

(6) 2012 Tarter 5 FT Aerator Attachments, unused, fits three point hitch tractors

(4) 2012 Tarter Yard Plugger Attachments, equipped w/ 5 ft working width capability, unused, fits three point hitch tractors

AGRICULTURAL – GRAIN HARVESTING EQUIPMENT

1998 Case International 2188 Axial-Flow Combine, sn:JJC0193859, equipped w/ A/C Cab, 6 cyl (260HP) engine, hydrostatic drive, work light package, AFS track system monitor, 210 grain tank capacity bu., 30.5L-32 front tires, 14.9-24 rear tires, meter reading: 4,682 hrs

Case International 1666 Axial-Flow Combine, sn:JJC0105495, equipped w/ A/C Cab, 6 cyl (205HP) engine, hydrostatic drive, work light package, 180 grain tank capacity, 24.5-32 front tires, 14.9-24 rear tires, meter reading: 3,742 hrs

Case International 1660 Axial-Flow Combine, sn:JJC0036535, equipped w/ A/C Cab, 6 cyl (190HP) engine, hydrostatic drive, work light package, 180 grain tank capacity bu., 30.5L-32 front tires, 14.9-26 rear tires

International Harvester 1460 Axial-Flow Combine, sn:1700232U042509, equipped w/ Enclosed Cab, 6 cyl (170HP) engine, hydrostatic drive, work light package, 180 grain tank capacity, 24.5-32 front tires, 11.00-16SL rear tires

Case International 1020 Grain Header Platform, sn:JJC0084602, 25 ft working width capability Case International 1020 Grain Header Platform, sn:JJC0089703, equipped w/ 20 ft working width capability

Case International 1020 Grain Header Platform, sn:JJC0064974, equipped w/ 20 ft working width capability

John Deere 920F Grain Header Platform, equipped w/ 20 ft working width capability, fits John Deere series 60 combines

John Deere 444 Corn Header Platform, sn:466766 John Deere 787 Seeder Cart, sn:H00787X670550, 23.1-26 tires

Unverferth HT25 Header Transport Cart, sn:12893, will transport up to 25 ft combine headers, 20.5/8.0-10 tires

(2) Kill Bros Ease-A-Away Gravity Wagons
Parker 4500 Grain Cart, sn:0840097, equipped w/
500 bushel capability, pto driven, single hydraulic
fold auger, 18.4-26 tires









AGRICULTURAL – ROTARY CUTTERS AND MOWERS

2000 Woods MD184-2 Rotary Cutter, sn:775683, equipped w/ 84 inch deck, guide wheel, safety chains, fits three point hitch tractors

John Deere 609 Rotary Cutter, equipped w/ 84 inch deck, fits three point hitch tractors

(2) 2012 Tarter 7 ft Rotary Cutter, equipped w/ guide wheel, unused, fits three point hitch tractors 2012 Tarter 6 ft Rotary Cutter, equipped w/ guide wheel, unused, fits three point hitch tractors 2012 Alligator 6 FT Rotary Cutter, equipped w/

guide wheel, fits three point hitch tractors
(3) 2012 Tarter 5 ft Rotary Cutters, equipped w/
guide wheel, unused, fits three point hitch tractors

guide wheel, unused, fits three point hitch tractors (2) 2012 Tarter 5 ft Pull Type Rotary Cutters, pto driven, unused attachment

(4) 2012 Tarter 4 ft Pull Type Rotary Cutters, pto driven, unused attachment

McCormick-Deering Mule Drawn Sickle Mower (3) 2012 Tarter 72 Inch Finish Mowers, sn:001033, equipped w/ 6 ft deck, guide wheels, unused, fits three point hitch tractors

(4) 2012 Tarter 60 Inch Finish Mowers, guide wheels, pto driven, unused, fits three point hitch tractors

Befco C50 Finish Mower, sn:206665, equipped w/ 74 inch deck, guide wheels, fits three point hitch tractors

AGRICULTURAL - PLANTING& SEEDING EQUIPMENT

John Deere 1860 Planter, sn:H01860X685289, 36 ft working width, dual hydraulic fold, air seeder, 31 x 15.50 -15 tires

John Deere 7000 Planter, sn:109263A, 6-row capability, (3) 70 gallon poly tanks, distributor hoppers, row markers, monitor

John Deere Fast Hitch Planter, equipped w/ distributor, one row

Oliver 64 Seed Drill, pull type attachment, 8 ft working width capability

International 510 Seed Drill, sn:0390207C012961, 10 ft working width, pull type attachment

(2) Cole Fast Hitch One Row Planter Attachments Mechanical Transplanter 220 (2-Row) Tobacco Setter, fits three point hitch tractors

1997 TYE Wildflower Series Seed Drill, sn:K229238PP, equipped w/ 84 inch working width capability, model no:124-4305, fits three point hitch tractors

AGRICULTURAL - HAY & FORAGE EQUIPMENT

KUHN GA4120TH Rotary Hay Rake, sn:1133910, pull type attachment, masterdrive series, 10 ft working width capability

John Deere 910 Mower Conditioner,

sn:E00910T100840, pull type attachment, pto driven, 9 ft cutting width capability **John Deere 530 Round Hay Baler**, sn:E00530X656027,

John Deere 530 Round Hay Baler, sn:E00530X656027, pull type, pto driven, hydraulic controls, 8 belts, 61.6 inch x 72 inch bale size capability

Hay Bale Squeezer Attachment, equipped w/ hydraulic controls, fits front end loader utility tractors (15) 2012 Tarter Front Adjustable Super Hay Spears, equipped w/ 2,200LB lift capacity, sliding mount brackets, unused, fits front end loaders (7) 2012 Tarter Heavy-Duty Hay Lifters, equipped w/ 2,200LB lift capacity, unused, fits three point hitch tractors (2) 2012 Tarter Bucket-Mount Super Hay Spears

AGRICULTURAL - LIVESTOCK & FEED EQUIPMENT New Holland 352 Portable Feed Grinder-Mixer,

sn:352640, pto driven, single auger, 11L-15 tires **New Holland 352 Portable Feed Grinder-Mixer,** sn:153024, pto driven, single auger, 11L-15 tires

OTHER ITEMS TO INCLUDE

Over 400 New/Unused Tools to be sold at 8:00 am also including All Terrain Vehicles, Motorcycles, Compact Support Equipment, Welding Equipment, Industrial Shop Equipment, Industrial Hot Water Pressure Washers, Light Duty Generator Sets, Water Pumps, Landscaping and Lawn Maintenance Equipment, Contractor Grade Hand Tools and Accessories, Job Safety Equipment and Supplies, Truck and Automobile Accessories, Equipment Parts and Accessories, antiques, misc items – see website for complete listing with descriptions and pictures meekinsauction.com – Inventory Updated Daily



www.meekinsauction.com LUMBERTON, NC 28358 4070 NC HWY, 211 E LLOYD MEEKINS & SONS AUCTION CO.



please deliver promptly. 2004 VOLVO EC330BLC Time sensitive material,

Contractors Auction Annual Spring

гливевтои, ис TUESDAY, APRIL 30, 2013 8:00 AM



ВЕТИВИ SERVICE REQUESTED

31601 U.S. Press

GIA9 U.S. Postage

PRSRT

FIRST-CLASS MAIL



For up-to-date auction inventory, with pictures and descriptions,

visit our company website meekinsauction.com



(1 of 4) CAT 12G MOTOR GRADERS



www.meekinsauction.com