#### THURSDAY, MAY 20, 2021 - RALEIGH, NC



#### **SOUND HEAVY MACHINERY INC**

Meeting the needs and expectations of its customers from one jobsite to the next



#### NET GUARANTEE AUCTION CONTRACT PREPARED FOR



#### **CURRIN BROTHERS INC**

Company Address: 1610 Wolfpack Lane, Raleigh, NC 27609

#### INVENTORY LISTING:

| ITEM# | INV# | ITEM DESCRIPTION  | SERIAL/VIN NUMBER |
|-------|------|---|-------------------|
|       |      | FARM - UTILITY TRACTORS   |                   |
| 1     | FT01 | 1991 John Deere 4455 Model Series Row-Crop Tractor, Enclosed Cab, John Deere 7.6L 6-cylinder (155HP) turbocharged engine, John Deere full power shift 15-speed transmission, 2wd, power steering, hydraulic wet disc clutch and brakes, 65-gallon fuel tank capacity rating, cloth seating, stereo, work and travel light package, front weights, three point hitch, pto, triple hydraulic valve outlets, drawbar, 11.00-16 front tires, 18.4 R 42 rear tires, meter reading: 5,605 hrs | RW4455P011298     |
| 2     | FT02 | 1981 John Deere 4440 Iron Horses Model Series Hi-Crop Row-Crop Tractor, Rops Canopy, John Deere 7.6L (162HP) 6-cylinder engine, John Deere Quad-Range (16 forward/6 Reverse) partial power shift transmission, 2wd, high clearance model series, work and travel light package, front weights, three point hitch, pto, dual hydraulic remote valve outlets, drawbar hitch, 11.00-16 front tires, 18.4-38 rear dual tires, well maintained tractor, meeting reading: 9,826 hrs           | 4440H-041047R     |
| 3     | FT03 | 1983 John Deere 2750 Model Series Utility Tractor, Rops Canopy, John Deere 4-cylinder (83HP) turbocharged engine, Synchro 8 -speed forward/4-speed reverse transmission, 2wd, work and travel light package, front weights, three point hitch, pto, single hydraulic remote valve, drawbar, 7.50-16SL front tires, 18.4-30 rear tires, meter reading: 3,052 hrs   | L02750G498739     |
| 4     | FT04 | 1995 John Deere 870 Model Series (4WD) Compact Utility Tractor, Roll Bar, Yanmar-John Deere 3TN84-RJK (28HP) 14.L 3-cylinder diesel engine, Collar Shift transmission, 4-wheel-drive, front weights, three point hitch, pto, drawbar, Bridgestone 25 x 8.50-14 front turf tires, Bridgestone 355/80D 20 rear turf tires, includes auxiliary hydraulic outlets side mounted plumbed for front end loader attachment, one owner tractor, meter reading: 737 hrs                           | M008708141744     |



### THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



| 5          | FT05  | 1972 John Deere 2030 Generation II Model Series Utility Tractor, equipped w/open station, John Deere 3.6L 4-cylinder (68HP) diesel engine, Collarshift 8 forward/4 reverse gear transmission, 2wd, work and travel light package, front weights, three point hitch, pto, single hydraulic remote valve outlet, drawbar, 9.5L-15SL front tires, 16.9-28 rear tires, one owner tractor, meter reading: 4,506 hrs | 155313T   |
|------------|-------|--|-----------|
| 6          | FT06  | 1950 International Harvester Farmall M Series Classic Row-Crop Tractor, equipped w/ International Harvester 4.1L (38HP) 4-cylinder gas engine, 5-speed sliding gear transmission, 2wd, tool bars, pto, drawbar, comes with pto-driven Brush Pit Burner 3 pt hitch attachment   | FBK238225 |
| 7          | FT07  | 1949 International Harvester Farmall C Series Classic Row-Crop Tractor, equipped w/ International Harvester 4.1L (38HP) 4-cylinder gas engine, 5-speed sliding gear transmission, 2wd, tool bars, pto, drawbar, comes with pto-driven Brush Pit Burner 3 pt hitch attachment   | FC36491   |
| 8          | FT08  | 1949 International Harvester Farmall C Series Classic Row-Crop Tractor (INOPERABLE, PARTS ONLY)  MOTOR SCRAPERS  | FC41350   |
| 9          | 0.000 |  |           |
|            | MS01  | 1989 Caterpillar 621E Model Series Motor Scraper, equipped w/ Rops Canopy, front windshield, Cat 3406 (330HP) engine power, 8-speed powershift transmission, Ejector Bowl style scraper pans with Heaped Capacity rating of 20.1 cubic yards, Struck capacity: 14 cubic yards, rated payload: 47,994.7 LBS, 144-gallon diesel fuel tank, articulating frame, 33.25-29 tires, meter reading: 5,835 hrs          | 6AB01257  |
| 10         | MS02  | 1983 Caterpillar 621B Model Series Motor Scraper, equipped w/ Rops Canopy, front windshield, Caterpillar 3406 (330HP), 8-speed powershift transmission, work light package, scraper bowl rated payload: 47,944.7 LBS, Heaped Capacity: 20.1 yd3, Struck Capacity Rating: 14 yd3, 33.25-29 tires, meter reading: 9,829 hrs  | 45P3538   |
| 11         | MS03  | 1976 Caterpillar 621B Model Series Motor Scraper, equipped w/ Rops Canopy, Caterpillar 3406 (330HP), 8-speed powershift transmission, work light package, scraper bowl rated payload: 47,944.7 LBS, Heaped Capacity: 20.1 yd3, Struck Capacity Rating: 14 yd3, 29.5-35 29 tires, meter reading: 7,251 hrs  | 45P1381   |
| <b>.</b> 2 | MS04  | 1976 Caterpillar 621B Model Series Motor Scraper, equipped w/ Rops Canopy, Caterpillar 3406 (330HP), 8-speed powershift transmission, work light package, scraper bowl rated payload: 47,944.7 LBS, Heaped Capacity: 20.1 yd3, Struck Capacity Rating: 14 yd3, 33.25-29 tires, unknown hours   | 45P1438   |
| 3          | MS05  | 1983 Terex TS14B Model Series Motor Scraper, Rops Canopy, Detroit 4-71N (160HP) 4-cylinder diesel engine, Allison Torqmatic powershift transmission, ejector open bowl style series motor scrapers with 47,000 LBS payload weight rating and 14 cubic yard heaped capacity rating, hours unknown   | 27706     |



### THURSDAY, MAY 20, 2021 - RALEIGH, NC



## **SOUND HEAVY MACHINERY INC**



|    | M506 | 1982 Caterpillar 613B Model Series Motor Scraper, equipped w/ Rops Canopy, Cat 3208 (150HP) model series engine, powershift transmission, articulating frame, 65-gallon diesel fuel tank, Self-Elevating scraper style series, Heap Capacity Bowl Rating: 11 cubic yards, width of cut: 8.1 ft, 23.5-25 tires, total operating weight rating: 31,538 LBS, hours unknown                                    | 38W07352 |
|----|------|--|----------|
| 15 | MS07 | 1980 Caterpillar 613B Model Series Motor Scraper, equipped w/ Rops Canopy, Cat 3208 (150HP) model series engine, powershift transmission, articulating frame, 65-gallon diesel fuel tank, Self-Elevating scraper pan style series, Heap Capacity Bowl Rating: 11 cubic yards, width of cut: 8.1 ft, 23.5-25 tires, total operating weight rating: 31,538 LBS, meter reading: 4,142 hrs                     | 38W06681 |
|    |      | MOTOR GRADERS  |          |
| 16 | MG01 | 1985 Caterpillar 12G Model Series Motor Grader, equipped w/ Enclosed Cab, Caterpillar 3306 engine, powershift transmission, full hydraulic controls, work light package, articulating frame, Push Block accessory, 12 FT board, 14.00-24TG tires, includes Caterpillar 5-Shank rear hydraulic ripper attachment and AGTEK grade control system, meter reading: 6,056 hrs                                   | 61M10816 |
| 7  | MG02 | 1975 Caterpillar 12G Model Series Motor Grader, equipped w/ Enclosed Cab, Caterpillar 3306 engine, powershift transmission, full hydraulic controls, work light package, articulating frame, 12 FT board, scarifier, 14.00-24TG tires, meter reading: 9,346 hrs  | 61M2625  |
| 8  | MG03 | 1928 Galion E-Z Lift Model Series Antique Motor Grader, equipped w/ pull type motor grader, 12 ft mold board, hand operated controls, pull type toolbar hitch  FORESTRY EQUIPMENT  | 697      |
| 9  | FE01 |  |          |
|    | 1101 | 1972 Caterpillar 518 Model Series Cable Skidder, equipped w/ Rops Canopy, sweeps, side and rear screen debris protection, Caterpillar 3304 model series 7.0L engine, 4-wheel-drive with powershift 3 forward/3 reverse transmission, articulating frame, front mount hydraulic dozer blade, Gearomatic winch accessory, Fleco single function grapple boom, Firestone 20L-26 forestry tires, hours unknown | 50\$287  |
| 0  | FE02 | Asplundh Portable Brush Chipper, equipped w/ Ford V8 gas engine, 180 degree discharge rotation, automatic shutdown, mounted on single axle running gear, meter hours unknown   | JEX9337  |
|    |      | CRAWLER LOADERS  |          |
|    | CL01 | 1983 Caterpillar 983 Model Series Crawler Loader, , equipped w/ Rops Canopy, Caterpillar D343 (275HP) 6-cylinder turbocharged engine, powershift transmission, 135-gallon diesel fuel tank, steel tracks, 22-inch track shoe width, general purpose loader bucket, meter hours unknown   | 38K740   |



## THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



| 22 | CL02  | 1980 Caterpillar 977L Model Series Crawler Loader, , equipped w/ Rops canopy, Caterpillar 3306 model series engine, powershift transmission, steel tracks, 18-inch   | <b>1</b> 4X1196 |
|----|-------|--|-----------------|
| -6 |       | track snoe width, general purpose loader bucket, meter reading: 8,276 hrs  |                 |
| 23 | CL03  | 1984 Caterpillar 963, equipped w/ Rops Canopy, Caterpillar 3304 model series engine, hydrostatic track drive transmission, steel tracks, 18-inch track shoe width, 4-n-1 loader bucket, meter reading: 12,299 hrs  | 06Z01484        |
| 24 | CL04  | 1978 Caterpillar 955L Model Series Crawler Loader, equipped w/ Rops canopy, Caterpillar 3304 model series engine, powershift transmission, steel tracks, 17-inch track shoe width, 4-n-1 loader bucket, meter reading: 3,631 hrs   | 85J11662        |
| 25 | CL05  | Fleco Crawler Loader Pin-On Rake Attachment, equipped w/ 72-inch (6 ft) working width capability, (6) heavy duty shanks, heavy duty built frame, fits Caterpillar 955 model series crawler loaders   | FR11662         |
| 26 | CL05A | Caterpillar Multipurpose (4-n-1) Loader Bucket, equipped w/89-inch bucket width, heavy duty built design with cutting teeth, pin-on connection, fits Caterpillar 955 model series loaders  | 5JG784          |
| 27 | CL06  | 1996 Caterpillar 953C Model Series Crawler Loader, equipped w/ Rops canopy, Caterpillar 3116 model series engine, hydrostatic track drive transmission, work and travel light package, steel tracks, 20-inch track shoe width, 4-n-1 loader bucket, meter reading: hrs   | 2ZN00282        |
| 28 | CL07  | 1990 Caterpillar 953 Model Series Crawler Loader, , Rops Canopy, Caterpillar 3204 engine, hydrostatic track drive transmission, work and travel light package, 4-n-1 loader bucket, meter reading: 9,684 hrs   | 20Z03646        |
|    |       | WHEEL LOADERS • TOOL CARRIERS  |                 |
| 29 | WL01  | 1986 Caterpillar IT28 Model Series Wheel Loader Tool Carrier, equipped w/ Enclosed Cab, Cat 3204 model series engine, powershift transmission, 4-wheel- drive, articulating frame, work and travel work light package, hydraulic quick coupler with quick attach heavy duty pallet forks and quick attach general purpose loader bucket, 17.5 R 25 tires, meter reading: 9,043 hrs | 2KC00924        |
| 30 | WL02  | 1974 Caterpillar 920 Model Series Wheel Loader, equipped w/ Rops Canopy, Caterpillar 3204 model series engine, powershift transmission, 4-wheel-drive, articulating frame, 15-25 tires, includes Fleco Pin-On heavy duty pallet forks attachment and general purpose loader bucket, meter reading: 4,329 hrs   | 62K6407         |
|    |       | LOADER BACKHOES  |                 |
| 31 | BH01  | 1987 Caterpillar 416 Model Series Loader Backhoe, equipped w/ Rops Canopy, Perkins 4-cylinder diesel engine, 4-speed shuttle shift transmission, 2wd, work light package, general purpose loader bucket, standard stick with 24-inch hoe digging bucket, meter reading: 2,495 hrs  | 5PC04166        |



## THURSDAY, MAY 20, 2021 - RALEIGH, NC



**SOUND HEAVY MACHINERY INC** 

| 32 | BH02 | 1985 Caterpillar 416 Model Series Loader Backhoe, equipped w/ Rops Canopy, Perkins 4-cylinder diesel engine, 4-speed shuttle shift transmission, 2wd, work light package, general purpose loader bucket, standard stick with 24-inch hoe digging bucket, meter reading: 4,480 hrs  | 5PC00619            |
|----|------|--|---------------------|
|    |      | COMPACTION EQUIPMENT   | TAX I TO THE PARTY. |
| 33 | CE01 | 1979 Caterpillar 815 Model Series Wheel Soil Dirt Compactor, equipped w/ Rops Canopy, Caterpillar 3306 model series (170HP) engine, powershift transmission, articulating steering, 4-wheel-drive, work light package, hydraulic dozer blade, blade width: 11 ft 9 inches, meter hours unknown   | 91P1794             |
| 34 | CE02 | 1993 Caterpillar CP-433B Model Series Vibratory Padfoot Roller, equipped w/ Rops Canopy, Perkins Caterpillar 4-cylinder (102HP) engine, hydrostatic drum drive transmission, 2-speed travel speeds, articulating frame, 66-inch drum width, cleaner bar, hydraulic backfill dozer blade, Goodyear 14.9-24 tires, 38.1-gallon diesel fuel tank, operating weight rating: 14,700 LBS, meter reading: 902 hrs | 1MG00640            |
| 35 | CE03 | Ingersoll Rand SP-42 Model Series Vibratory Smooth Drum Roller, equipped w/ Rops Canopy, Detroit GM 3-cylinder diesel engine, hydrostatic drum drive transmission, single drum roller with 72-inch drum width, articulating frame, 14.9- 24 tires  | 5242-S              |
|    |      | ARTICULATED DUMP TRUCKS  |                     |
| 36 | AT01 | 1994 Caterpillar D25D Model Series Articulated Dump Truck, equipped w/ Enclosed Cab, Caterpillar 3306 (260HP) model series engine, powershift transmission, 4-wheel-drive, 118.9-gallon fuel tank, articulating frame, work light package, Payload Rated Capacity: 49,981 LBS, Heaped Capacity Rating: 18.32 yd3, Struck Capacity Rating: 13.08 yd3, 26.5 R 25 tires, meter reading: 19,595 hrs            | 1HK00421            |
| 37 | AT02 | 1994 Caterpillar D25D Model Series Articulated Dump Truck, equipped w/ Enclosed Cab, Caterpillar 3306 (260HP) model series engine, powershift transmission, 4-wheel-drive, 118.9-gallon fuel tank, articulating frame, work light package, Payload Rated Capacity: 49,981 LBS, Heaped Capacity Rating: 18.32 yd3, Struck Capacity Rating: 13.08 yd3, 26.5 R 25 tires, meter reading: 14,587 hrs            | 1HK00432            |
| 38 | AT03 | 1989 Caterpillar D25C Model Series Articulated Dump Truck, equipped w/ Enclosed Cab, Caterpillar 3306 (260HP) model series engine, powershift transmission, 4-wheel-drive, 118.9-gallon fuel tank, articulating frame, work light package, Payload Rated Capacity: 49,981 LBS, Heaped Capacity Rating: 18.32 yd3, Struck Capacity Rating: 13.08 yd3, 26.5 R 25 tires, meter reading: 16,154 hrs            | 9YC00801            |



### THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



|    |      | HYDRAULIC EXCAVATORS   |                   |
|----|------|--|-------------------|
| 39 | HE01 | 2003 Caterpillar 345BL Series II Model Hydraulic Excavator, equipped w/ Enclosed Cab, Caterpillar 3176C ATAAC (321HP Net) 10.3L engine, selectable work and travel modes, work light package, auto idle, long undercarriage, Catwalk platforms, steel tracks, 35.5-inch track shoe width, plumbed auxiliary hydraulics, Caterpillar 48-inch digging bucket, plumbed for quick connect lines, jobsite ready machine, 97,114 LBS operating weight rating, 158-gallon diesel fuel tank, counterweight self-removal device, meter reading: 5,929 hrs | CAT0345BJAGS01450 |
| 40 | HE02 | 2002 Caterpillar 330CL Model Series Hydraulic Excavator, equipped w/ Enclosed Cab with air condition and heat, Caterpillar C-9 (247HP) engine, automatic speed control, open-center, two-pump, negative flow hydraulic system, catwalks, long undercarriage, 33.5-inch shoe pad width, plumbed auxiliary hydraulics, 54-inch digging bucket, meter reading: 8,209 hrs  | CAT330CKDKY00505  |
| 41 | HE03 | 1997 Caterpillar 330BL Model Series Hydraulic Excavator, equipped w/ Enclosed Cab with air condition and heat, Caterpillar 3306TA (222HP) engine, Rexroth pump, power and work mode selector, long undercarriage, work light package, 33.5-inch shoe pad width, Cat 60-inch digging bucket, meter reading: 15,294 hrs  | 6DR01397          |
| 42 | HE04 | REMOVED FROM AUCTION   |                   |
| 43 | HE05 | 1994 Caterpillar 320L Model Series Hydraulic Excavator, equipped w/ Enclosed Cab, Caterpillar 3066T (128HP) engine, variable flow hydraulic system with work mode and power mode selector, pilot activated control system, long undercarriage, 31.5-inch shoe pad width, catwalks, plumbed auxiliary hydraulics, hydraulic thumb, 42-inch digging bucket, meter reading: 13,491 hrs  | 9KK01631          |
| 44 | HE06 | 1984 Caterpillar 235 Model Series Hydraulic Excavator, equipped w/ Enclosed Cab, Caterpillar 3306 (195HP) engine, hydrostatic drive, turbo, variable flow hydraulic system, catwalks, track guarding guides, 36-inch shoe pad width, 48-inch bucket, meter reading: 11,285 hrs   | 64R01639          |
| 45 | HEO7 | 1980 Caterpillar 225LC Model Series Hydraulic Excavator, equipped w/ Enclosed Cab, Cat 3208 (125HP) engine, variable flow hydraulic system, pilot operated controls, long undercarriage, 30-inch shoe pad width, 42-inch bucket, meter reading: 8,635 hrs  | 51U5520           |
| 46 | HE08 | REMOVED FROM AUCTION   |                   |
| 47 | HEO9 | 1993 Caterpillar 330L Model Series Hydraulic Excavator (Salvage/ Fire History/No Engine), equipped w/ equipped w/ Enclosed Cab, variable flow hydraulic system with work mode and power mode selector, pilot activated control system, long undercarriage, front cage cab protection guarding, work and travel light package, 33.5-inch shoe pad width, digging bucket, meter reading: 16,156 hrs, ***note: no engine available with machine, undercarriage in great condition   | 8FK00410          |



### THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



|           |      | CRAWLER DOZERS   |          |
|-----------|------|--|----------|
| 48        | CD01 | 1966 Caterpillar D9G Model Series Crawler Dozer, equipped w/ Rops Canopy, Caterpillar D353 (385HP) model series engine, powershift transmission, oil cooled brakes and steering clutches, 27-inch shoe pad width, S/U dozer blade with single hydraulic tilt, heavy duty drawbar   | 66A4011  |
| 49        | CD02 | 1980 Caterpillar D8K Model Series Crawler Dozer, equipped w/ Rops Canopy, Caterpillar D342T (300HP) spacer plate engine, powershift transmission, pinned equalizer bar suspension, pilot hydraulic implelement system, SALT, combined steering and braking controls, 24-inch track shoe pad width, S/U dozer blade with single hydraulic tilt, Caterpillar 3-Shank rear ripper attachment, meter reading: 3,792 hrs  | 77V14843 |
| 50        | CD03 | REMOVED FROM AUCTION   |          |
| 51        | CD04 | 1991 Caterpillar D7G Model Series Crawler Dozer, equipped w/ Rops Canopy, Caterpillar 3306T (200HP) engine, powershift transmission, LGP, track end guarding guide, sweeps, rear screen protection, 26-inch track shoe width, dozer blade, heavy duty drawbar hitch with Caterpillar winch attachment, approximately 8,500 hrs   | 65V07452 |
| <b>52</b> | CD05 | 1994 Caterpillar D7G Model Series Crawler Dozer, equipped w/ Rops Canopy, sweeps, front/side/rear screen protection guarding, Caterpillar 3306T (200HP) engine series, powershift transmission, LGP, track end guarding guide, 26-inch track shoe width, heavy duty guard accessories, S/U dozer blade with single hydraulic tilt, drawbar, meter reading: 8,418 hrs   | 65V07940 |
| 53        | CD06 | 1983 Caterpillar D7G Model Series Crawler Dozer, equipped w/ Rops Canopy, rear screen protection, Caterpillar 3306T (200HP) model series engine, powershift transmission, pilot hydraulic implement system, sealed and lubricated track, combined braking and steering controls, 24-inch track shoe width, track end guarding, S/U dozer blade with single hydraulic tilt, comes with Caterpillar 3-Shank rear ripper attachment, meter reading: 9,341 hrs                     | 92V11562 |
| 54        | CD07 | 1983 Caterpillar D7G Model Series Crawler Dozer, equipped w/ Rops Canopy, Caterpillar 3306T (200HP) engine, powershift transmission, LGP, track end guarding guide, sweeps, rear screen protection, 26-inch track shoe width, dozer blade, heavy duty drawbar hitch, meter reading: 7,622 hrs  | 92V11768 |
| 55        | CD08 | 1984 Caterpillar D7G Model Series Crawler Dozer, equipped w/ Rops Canopy, sweeps, rear screen protection, Caterpillar 3306T (200HP) model series engine, powershift transmission, pilot hydraulic implement system, sealed and lubricated track, combined braking and steering controls, track end guarding, 26-inch track shoe width, S/U dozer blade with single hydraulic tilt, heavy duty drawbar hitch, single remote rear auxiliary hydraulics, meter reading: 7,637 hrs | 92V12248 |



### THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



| 56 | CD09 | 1980 Caterpillar D6D Model Series Crawler Dozer, equipped w/ Rops Canopy,  | 4X06331           |
|----|------|--|-------------------|
|    |      | sweeps, rear screen protection, Caterpillar 3306T (140HP) series engine, powershift  | 4700331           |
|    |      | transmission, combined steering clutch and brakes, sealed and lubricated track   |                   |
|    |      | undercarriage system, 24-inch track shoe width, C-Frame with dozer blade and Fleco rake accessory  |                   |
|    |      |  |                   |
| 57 | CD10 | 1979 Caterpillar D6D Model Series Crawler Dozer, equipped w/ Rops Canopy,  | 4X04906           |
|    |      | sweeps, rear screen protection, Caterpillar 3306T (140HP) series engine powershift   |                   |
|    |      | transmission, combined steering clutch and brakes, sealed and lubricated track undercarriage system, 24-inch track shoe width, heavy duty drawbar hitch, comes       |                   |
|    |      | with dozer blade and Fleco rake attachments, meter reading: 8,405 hrs  |                   |
|    |      |  |                   |
| 58 | CD11 | 1973 Caterpillar D6C Model Series Crawler Dozer, equipped w/ Rops Canopy,  | 10K8683           |
|    |      | sweeps, rear screen protection, Caterpillar 3306 engine series, powershift   | 31 5131           |
|    |      | transmission, 24-inch track shoe width, C-Frame with dozer blade, heavy duty drawbar hitch, meter reading: 7,286 hrs   |                   |
|    |      |  |                   |
| 59 | CD12 | 2002 Caterpillar D5M LGP Model Series Crawler Dozer, equipped w/ Rops Canopy,  | CATOOD5MC3CR01855 |
|    |      | rear screen protection, Caterpillar 3116 (110HP) engine, powershift transmission   | -11.0001101033    |
|    |      | with finger-tip controls, high sprocket machine with 30-inch track shoe width, clutch and brake steering with electric clutch pressure control, 6-way dozer blade,   |                   |
|    |      | heavy duty drawbar hitch, meter reading: 4,015 hrs   |                   |
|    |      | SSV WO   |                   |
| 60 | CD13 | 1995 Caterpillar D4H LGP Series III Crawler Dozer, equipped w/ Rops Canopy,  | 9GJ01158          |
|    |      | Caterpillar 3304 (105HP) series engine, powershift transmission, fuel tank capacity: 52.7-gallons, heavy duty sealed and lubricated track system, 30-inch track shoe |                   |
|    |      | width, 6-way dozer blade, heavy duty drawbar hitch, meter reading: 9,808 hrs   |                   |
|    |      |  |                   |
|    |      | CONSTRUCTION ATTACHMENTS - PARTS - ACCESSORIES   |                   |
| 61 | CA01 | Caterpillar D7G Model Series Crawler Dozer Track 26 Inch Group Set   |                   |
| 62 | CA02 | Caterpillar 953 Model Series Crawler Loader DG 20" Track Pad-88-Set  |                   |
|    |      | 1223. Pilial 333 Model Series Clawler Loader DG 20" Track Pad-88-Set   |                   |
|    |      | SUPPORT EQUIPMENT  |                   |
| 63 | SE01 | Pungo Machinery Portable PTO-Driven Heavy Duty Water Pump, equipped w/ 16-   | 189               |
|    |      | mich and 12-inch connection sizes, power-take off shaft included, heavy duty built   | 103               |
|    |      | design, stabilizer legs  |                   |
| 64 | SE02 | Goosen Industries BC23 Model Series Bale Chopper, equipped w/ heavy duty   |                   |
|    |      | frame, pto driven, hoses and accessories, fits three point hitch tractors  | 308               |
|    |      |  |                   |
| 65 | SE03 | Wayne-Leroi Dresser 770A Model Series Industrial Air Compressor, 3 Phase   | 4019X372          |
| 66 | SE04 | KEW 5003V Model Series Industrial Pressure Washer, 5000 PSI, electric, hose,   | 2004025           |
|    |      | wand   | 3004825           |



### THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



| 67 | SE05 | SHOP/GARAGE TIRE CAGE, commercial grade, heavy duty built design  | Unknown                                 |
|----|------|---|---|
| 68 | SE06 | Caterpillar Hydraulic Hose Assembly Machine Service Tool, equipped w/ Complete Turn-Key Setup Package, comes with Caterpillar 7.5HP Electric Cut-Off Saw, Heavy Duty Shop Table with 5-inch Jaw Vise and storage backwall panel, Caterpillar electric pump, heavy duty portable shop storage shelving unit, included with the hydraulic hose making machine features a large assortment of Reusable Fittings, Hoses, Part Bins with contents, assembly of tools and support equipment, Wooden Shop Shelving Unit, additional components and accessories, Complete Turnkey Job Operation | Unknown                                 |
| 69 | SE07 | 1995 Ameramax P33/24 Model Series Trench Compactor, Lister-Petter 2-cylinder diesel engine, rigid frame, 33-inch padded drums, machine weight rating: 3400 LBS, walk behind operation, meter reading: 573 hrs   | 33072450                                |
| 70 | SE08 | Ingersoll-Rand P750WCU Model Series Portable Air Compressor, Cummins LT10 (216HP) 10.0L model series engine, 750 CFM, 100 psi, operable gauges, speed and pressure adjustable controls, 15-gallon diesel fuel tank capacity rating, mounted on tandem axle running gear, 8.75-16.5LT tires, pintle style hitch for hookup, meter reading: 1,173 hrs   | 36760593                                |
| 71 | SE09 | Fleco HD Series Wheel Loader Pallet Forks Attachment, equipped w/ heavy duty frame, 58-inch fork frame, pin-on connection, 48-inch pallet forks, fits Caterpillar 920 model series wheel loaders  | F6407                                   |
| 72 | SE10 | REINCO HG-10EG Portable Hydroseeder, equipped w/ 2500-gallon tank, Wisconsin 4-cylinder gas engine power unit, Deming heavy duty pump, access ladder to upper work platform, Victaulio hoses and accessories, mounted on tandem axle Gooseneck trailer, spring suspension, Uniroyal 11I-16SL Low Profile Rib Implement tires, low meter hours   | 1288                                    |
| 73 | SE11 | Allmand Maxi-Lite Series II Portable Light Tower, equipped w/ Lister-Petter ST2 model series diesel engine power unit, 220 volt/110 volt receptacle outlets, Allmand LTD6BC (6 KVA) generator, single phase, mounted on single axle running gear, electric brakes, dual option flip hitch accessory, model number: LD30A-4M2WS, meter reading: 2,398 hrs  | 831011                                  |
| 74 | SE12 | Allmand Maxi-Lite Series II Portable Light Tower, equipped w/ Lister-Petter ST2 model series diesel engine power unit, 220 volt/110 volt receptacle outlets, Allmand LTD6BC (6 KVA) generator, single phase, mounted on single axle running gear, electric brake  | 831015                                  |
| 75 | SE13 | Barricade Lift Attachment, used for lifting concrete road barricades or barriers  | *************************************** |
| 76 | SE14 | 1998 Geith Quick Connect Telehandler General Purpose Loader Bucket, equipped w/ 94-inch working width capability with bolt-on cutting edges, quick attach set-up connection, fits Caterpillar TH63 model series telehandlers  | 75449                                   |



### THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



|    |      | AGRICULTURAL FIELD EQUIPMENT  |               |
|----|------|---|---------------|
| 77 | AE01 | Reddick 300-Gallon Agricultural Sprayer, equipped w/ 26 FT spray working width capability, electric cab control box and accessories included with sprayer, poly tank, fits three point hitch tractors | 24496         |
| 78 | AE02 | Reddick 150-Gallon Agricultural Sprayer, equipped w/  | Unknown       |
| 79 | AE03 | Reddick 150-Gallon Agricultural Sprayer, equipped w/ 16 FT spray working width capability, HYPRO pump, control valve, poly tank, fits three point hitch tractors                                      | 14698         |
| 80 | AE04 | Ford 22-124 Model Series Flail Mower, equipped w/ 76-inch working width capability, pto-driven, fits three point hitch tractors   | 1861          |
| 81 | AE05 | John Deere 8200 Model Series Grain Seed Drill   | 003128-N      |
| 82 | AE06 | Bush Hog ATH720 Finishing Mower Attachment, equipped w/ 72-inch cutting deck, heavy duty frame, guide wheels, fits 3 pto hitch tractors   | 12-05881      |
| 83 | AE07 | Brillion Sure 60-Inch Model SSPT-604 Seeder   | 167766        |
| 84 | AE08 | Land Pride AT2560 Finish Mower, equipped w/ 60-inch cutting deck, (4) guide wheels, fits three point hitch tractors   | L128143       |
| 85 | AE09 | Land Pride 2560 Model Series Finish Mower 3pt Attachment  | Unknown       |
| 86 | AE10 | Vicon White Bride 22117 Model Series Fertilizer Seed Spreader Attachment, equipped w/ adjustable settings, pto-driven, fits three point hitch tractors  | 2918          |
| 87 | AE11 | Ford 2-Row Disc Harrow Attachment, fits three point hitch tractors  | Unknown       |
| 88 | AE12 | Tufline SF300T pull spreader  | C3-487        |
| 89 | AE13 | John Deere 709 Bush Hog   | Unknown       |
| 90 | AE14 | Long 954 Model Series Disc Harrow, equipped w/ 102-inch working width capability, heavy duty frame, (8) disc blades, fits three point hitch tractors  | 41678         |
| 91 | AE15 | John Deere 603 Model Series Rotary Cutter, equipped w/60-inch (5 ft) cutting deck, heavy duty frame, fits three point hitch tractors  | H00603X00847  |
| 92 | AE16 | John Deere 503 Model Series Rotary Cutter, 60-inch cutting deck capability, fits three point hitch tractors   | H00503M025395 |



THURSDAY, MAY 20, 2021 - RALEIGH, NC



## **SOUND HEAVY MACHINERY INC**



| 93  | AE17 | King MF2 Model Series Disc Harrow, equipped w/ 112-inch working width   | A11308      |
|-----|------|---|-------------|
|     |      | capability, fleavy duty frame, (24) disc blades, fits three point hitch tractors  | A11209      |
| 94  | AE18 | Danuser E-8 Model Series Auger Attachment, equipped w/9-inch and 24-inch auger bits, pto driven, fits three point hitch tractors  | 62199       |
| 95  | AE19 | Brillion SSP-8 Sure Stand 96-Inch Model STT604  | 191675      |
| 96  | AE20 | King 7-Shank Chisel Plow Ripper Attachment, equipped w/ heavy duty frame, springs, (7) ripper chisel shanks, fits three point hitch tractors  | Unknown     |
| 97  | AE21 | John Deere E1600 Model Series Chisel Plow, equipped w/ solid built frame, (12) ripper shanks, springs, 11 ft working width capability, fits three point hitch tractors                                | 004671N     |
| 98  | AE22 | Long Model 569 Model Series Peanut Wagon  | 7164        |
| 99  | AE23 | Poplarville SS Model Number Series Field Plow Attachment, equipped w/ heavy duty frame, (2) ripper chisel shanks, fits three point hitch tractors   | 86108       |
| 100 | AE24 | John Deere Grain Drill 450 10-Inch  | N0045803271 |
| 101 | AE25 | McClenny A1660 Model Series Aerator, equipped w/ 5 ft (60-inch) working width capability, fits three point hitch tractors   | 78103       |
| 102 | AE26 | Tiger Cub C160LT Rotary 3pt Hitch Cutter  | 99517456    |
| 103 | AE27 | King Disc 9-Shank Chisel Plow Attachment, equipped w/ heavy duty frame, springs, fits three point hitch tractors  | Unknown     |
| 104 | AE28 | Reddick 125-Gallon Agricultural Sprayer, equipped w/ 24 FT spray working width capability, Hypro pump, distributor valve, hose reel, pto-driven, fits three point hitch tractors, excellent condition | 10387       |
| 105 | AE29 | Land Pride LR1572 Model Series Landscape Rake, 72-inch (6 FT) working width capability, fits three point hitch tractors   | 27977       |
| 106 | AE30 | Ford 101 Model Series 2-Row Bottom Plow, heavy duty frame, fits three point hitch tractors  | Unknown     |
| 107 | AE31 | King 174 Model Series Chisel Ripper Plow, 14 ft working width capability, heavy duty built frame, (8) ripper shanks, springs, fits three point hitch tractors   | 130         |
| 108 | AE32 | International Harvester McCormick 7-Inch Seed Grain Drill, pull type implement  | Unknown     |



## THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



| 109 | AE33   | John Deave CE M. J. J.S. J.   |                   |
|-----|--------|---|-------------------|
|     | ر<br>ا | John Deere 65 Model Series Drag Blade, 84-Inch (7 FT) width capability, manual tilt, heavy duty frame, fits three point hitch tractors  | Unknown           |
| 110 | AE34   | Hardee T1572 LT Model Series Rotary Cutter, 72-inch (6 FT) cutting deck capability, heavy duty frame, safety chains', fits three point hitch tractors   | l8559212B         |
| 111 | AE35   | Shopmade Tandem Aerator Attachment, equipped w/ 72-inch working width capability, dual aerator spike drums, heavy duty built frame, fits three point hitch tractors   | Unknown           |
| 112 | AE36   | Ford 72HD Model Series Disc Harrow Attachment, equipped w/ 6 ft (72-Inch) working width capability, fits three point hitch tractors   | P108              |
| 113 | AE37   | Shopmade Pull Type Stalker Attachment, equipped w/ 6 ft (72-Inch) working width capability  | Unknown           |
| 114 | AE38   | Material Lifting Boom Attachment, fits three point hitch tractors   | Unknown           |
|     |        | TRUCK TRACTORS • DUMP TRUCKS  |                   |
| 115 | TT01   | 1988 Mack Super Liner RW713 Econodyne Model Series (Tri-Axle) Day Cab Truck Tractor, equipped w/ Mack E6-350 11.0L (350HP) model series engine, Maxitorque T2090 model series (9-Speed) manual transmission, engine brake, work and travel light package, Chelsea PTO, stereo, air condition and heat, Bostrom automatic adjusting driver air seat, triple axle truck with 214 wheel base, gross weight rating: 80,000 LBS, 18,000 LBS front axle, 46,000 LBS rear axles with Camelback suspension, air lift third axle, 50-inch rear axle spacing, double frame body, headache rack with light bar and outside storage compartments, Fontaine fifth wheel, dual aluminum fuel tanks, 10.00 R 20 front axle and lift axle tires, 11R 22.5 rear axle tires, hydraulic wet line kit included, odometer reading: 28,131 miles, engine hours: 702 hrs | 1M2AY10Y5JM003944 |
| 116 | DT01   | 1986 Chevrolet C70 Custom Deluxe Model Series Dump Truck, equipped w/ 366 V8 gas engine, 5x2 manual transmission, hyd brakes, Chelsea cab pto controls, vinyl seating, single axle dump truck with spring suspension, gvwr: 28,000 LBS, 9,000 LBS front axle, 19,000 LBS rear axle, 168 wheel base, dual side tool storage chests, Godwin 14 ft steel dump body with removable side panels, tow package, steel  | 1GBL7D1B2GV101395 |



THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



| BEST |      | WATER TRUCKS   |                   |
|------|------|--|-------------------|
| 117  | WT01 | 1978 GMC 7500 MODEL SERIES 3,500-GALLON WATER TRUCK, Detroit 6-cylinder diesel engine, Fuller Roadranger 13-speed manual transmission, Chelsea PTO, cab spray operated controls, tandem axle truck with 204 wheel base, gvwr: 48,860 LBS, 10,860 LBS front axle, 38,000 LBS rear axle, heavy duty spring suspension, steel wheels, 11R 22.5 front tires, 10.00 R 20 rear tires, Miler Manufacturing 3500-Gallon Water Tank with front, side, and rear water spray system, comes hoses, nozzles, and accessories, miles unknown   | TJV739V562605     |
| 118  | WT02 | 1972 GMC Brigadier Model Series 3,500-Gallon Water Truck, equipped w/ 427 gas engine, manual transmission, differential lock, air brakes, Bostrom Viking Torsion Bar Suspension driver seat, heavy duty built body, dual 50-gallon fuel tanks, tandem axle truck with gvwr: 44,500 LBS, 10,860 LBS front axle, 34,000 LBS rear axle, 167 wheel base, heavy duty spring suspension, steel tires, pintle hitch, 10.00-20 radial tires, ATLAS 3,500-gallon steel water tank with front and rear water spray system, hoses and accessories, odometer reading: 50,028 miles   | TME63WV518220     |
|      |      | FUEL & LUBETRUCKS  |                   |
| 119  | FL01 | 1981 GMC Brigadier 7000 Model Series Fuel and Lube Truck, Detroit 6-cylinder diesel engine, Fuller 13-speed manual transmission, air brakes, passenger side storage compartment chest, 6x2 drive line, 210 wheel base, gvwr: 51,180 LBS, 13,180 LBS front axle, 38,000 LBS rear axles, heavy duty spring suspension, steel wheels, 385/65R 22.5 front tires, 10.00 R 20 rear axle tires, features Steel Craft Fuel and Lube Body, serial number: 41631, 19 ft body length with (8) Product Tanks, pumps, hose reels, hoses, and accessories, odometer reading: 283,213 miles, engine hours reading: 6,324 engine hrs | 1GDT9C4Z9BV591220 |
| 120  | FL02 | 1981 GMC Sierra 7000 Model Series 2,500-Gallon Fuel Truck, V8 gas engine, 5x2 (high/low) manual transmission, hydraulic brakes, Chelsea PTO, single axle truck with 150 wheel base, gywr: 23,160 LBS, 7,000 LBS front axle, 16,160 LBS rear axle, steel wheels, dual side storage and chest compartments, 10.00-20 front tires, 9.00 R 20 rear tires, comes with Alexander 2,500-Gallon Fuel Tank, serial number: 5993, includes hose, reel, and accessories, meter reading: 44,906 miles  | T17D9V596142      |
| 121  | ST01 |  |                   |
|      |      | 2011 Chevrolet Silverado 2500HD Model Series Service Utility Truck, Vortec 6.0L V8 gas engine, automatic transmission, cruise, 2wd, haul tow feature, trailer brakes, vinyl seating, stereo, air condition and heat, gvwr: 9300 LBS, 132 wheel base, Knapheide 8 ft service tool body with Delta 100-Gallon Off-Road diesel fuel tank with Tuthill Fill-Rite electric pump, hose, and nozzle, tow hitch package, LT245/75R 17 tires with spare, odometer reading: 91,353 miles   | 1GB0CVCG2BF246291 |



# THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



| 122         | ST03 | 2003 Chevrolet Silverado 2500HD Model Series Service Utility Truck, equipped w/<br>Vortec 6.0L V8 gas engine, automatic transmission, tow haul feature, stereo, air<br>condition and heat, vinyl seating, gvwr: 9200 LBS, Reading Classic Series 8 FT service<br>tool body, tow package, LT265/75R 16 tires, odometer reading: 134,336 miles  | 1GBHC24U43E354487 |
|-------------|------|---|-------------------|
| 123         | ST05 | 1985 Ford 8000 Model Series Dually Mechanics Truck, equipped w/ Caterpillar 3208 diesel engine power, 5x2 manual transmission, air brakes, stereo, air condition and heat, single axle dually truck with 237 wheel base, gvwr: 28,000 LBS, Reading 11 FT service tool body with Auto Crane 6006 model series service crane, dual side storage cabinets and compartments, rear mounted Columbian vise, additional parts and accessories, towing package, steel wheels, 11R 22.5 tires, odometer reading: 286,811 miles | 1FDXK87UDFVA06002 |
|             |      | FLEET VEHICLES  |                   |
| 124         | FV06 | 1996 Chevrolet Tahoe LS Model Series (4x4) Sport Utility Vehicle, equipped w/ 5.7L V8 gas engine, automatic transmission, cruise, power windows and locks, power mirrors, cloth interior, stereo, air condition and heat, gvwr: 6800 LBS, includes roof top cargo luggage rack, dual side step boards, towing package, Michelin LT245/75R 16 LTX model series tires, odometer reading: 226,412 miles  | 1GNEK13R4TJ373337 |
| 125         | FV10 | 2000 Chevrolet S10 Model Series Pickup, 4-cylinder 2200 series gas engine, automatic transmission, cloth interior, stereo, ac/heat, long bed, spray-on bed liner, tow package, P205/75R 15 tires, miles unknown   | 1GCCS1451YK228947 |
|             |      | TRAILERS  |                   |
| 126         | TL01 | 2005 Peerless 45-CTSSF Model Series Live Floor Trailer, gvwr: 65,000 LBS, gawr: 25,000 LBS each axle, landing gear, 45 FT x 102-inches trailer body, side walls height: 96-inches, Shurco Shur-Lok manual roll tarp system, tailgate, 113 cubic yards (2950 Cubic Feet) hauling rating, tandem axle trailer with adjustable sliding axles with Hendrickson Vantraak air ride suspension system with front axle lift capability, all aluminum wheels, 11R 24. Tires  | 1PLE045245PG53892 |
| MEN 225 125 | TL02 | 1980 TI-Brook 24-46-8-23 Model Series (24 FT) Aluminum End Dump Trailer,  | 8035953596        |
| 127         |      | equipped w/ 24 FT aluminum end dump body, steel frame, trailer width: 96-inches, side walls height: 48-inches, steel and aluminum dump bed floor, gvwr: 50,000 LBS, gawr: 20,000 LBS each axle, tandem axle trailer with 50-inch axle spacing, heavy duty spring suspension, Alcoa outside wheels, steel inside wheels, 11R 24.5 tires, 2-way dump tailgate feature (barndoor or high lift), light use, great condition   |                   |



THURSDAY, MAY 20, 2021 - RALEIGH, NC



### **SOUND HEAVY MACHINERY INC**



| 129 | TL04 | 1980 Rogers TT16-20-20-15 Tilt-Top (15-Ton) Tag Equipment Trailer, gvwr: 30,650  | D5005             |
|-----|------|--|-------------------|
|     |      | LBS, gawr: 13,040 LBS per axle, 15-Ton (30,000 LBS) hauling capability, air brakes, 96-inch x 20 ft load deck, tandem axle trailer with walking beam suspension, wood deck flooring, (4) D-Rings per side, (2) D-Rings mounted on rear of trailer, steel wheels, 8.25 R 17.5 TR model series tires   | 55003             |
| 130 | TL05 | 1972 Rogers TT16-20-20-15 Tilt-Top (15-Ton) Tag Equipment Trailer, gvwr: 39,500  |                   |
|     |      | LBS, gawr: 17,213 LBS per axle, 15-Ton (30,000 LBS) hauling capability, air brakes, 96-inch x 20 ft load deck, tandem axle trailer with walking beam suspension, wood deck flooring, (4) D-Rings per side, (2) D-Rings mounted on rear of trailer, steel wheels, 8.25 R 15 TR model series tires   | D3319             |
| 131 | TL06 | Hudson 16 ft Equipment Trailer, tandem axle, 10,000 LBS hauling capability   |                   |
|     |      | To,000 Lb3 Hauling Capability  | E162T1001563      |
| 132 | TL07 | 1986 Hudson 10HD Model Series (5-Ton) Tag Equipment Utility Trailer, 10,000 LBS (5-Ton) hauling capability, electric brakes, 6 ft 3 inches x 14 ft load deck, wood deck  | 10HHSE161G1000046 |
|     |      | flooring, 2 ft beavertail with 48-inch folding loading ramps, tandem trailer with spring suspension, steel wheels, 8-14.5 tires  |                   |
| 133 | TL08 | 2000 Statemade 6-Ton Model Series Tag Equipment Utility Trailer, equipped w/ (12,000 LBS) 6-Ton hauling capability, 6 ft 4 inches x 14 ft main load deck area with dual 48-inch folding loading ramps, wood deck flooring, tandem axle trailer with spring suspension, steel tires, 8-14.5 LT tires  | NCX01048976       |
| 134 | TL09 | 1000 W-II. F "   |                   |
|     | 1109 | 1999 Wells Fargo Trailer Enclosed Cargo Utility Trailer, equipped w/ 6 ft x 10 ft enclosed cargo body, dual doors, single axle trailer, ST205/75R 15 tires   | 1WC200D14X036186  |
| 135 | TL10 | 1980 Fruehauf Enclosed Cargo Trailer 8'x6'   |                   |
|     |      |  | 180585087         |
| 136 | TL11 | 1980 Fruehauf Enclosed Trailer 8'x5'   |                   |
|     |      | The state of the s | 159587405         |
| 137 | TL12 | 1980 Rogers TT16-20-20-15 Tilt-Top (15-Ton) Tag Equipment Trailer, gvwr: 30,650  |                   |
|     |      | 96-inch x 20 ft load deck, tandem axle trailer with walking bears are  | D4117             |
|     |      | deck flooring, (4) D-Rings per side, (2) D-Rings mounted on rear of trailer, steel wheels, 8.25 R 15 model series tires  |                   |



# THURSDAY, MAY 20, 2021 - RALEIGH, NC



## **SOUND HEAVY MACHINERY INC**



| 138 | TL13 | 1980 Fruehauf UA5-5-8-5KI Model Series Enclosed Cargo Utility Trailer, equipped w/gvwr: 2,000 LBS, 5 ft x 8 ft enclosed cargo body, rear access door, single axle, steel wheels, 6.70-15ST tires   | 180585560                        |
|-----|------|--|----------------------------------|
| 139 | TL14 | <b>Utility Trailer,</b> equipped w/ 5 ft x 8 ft load deck, steel grate deck flooring, loading tailgate, single axle trailer, steel wheels, 4.80-12 tires   | Unknown - Lic Plate #<br>BR49936 |
| 140 | TL15 | 2006 Roadmaster RMC714TA2 Model Series Enclosed Cargo Trailer, equipped w/7 ft x 14 ft enclosed cargo storage body, electric brakes with Break-Away system, gvwr: 7000 LBS, gawr: 3500 LBS per axle, side personnel door access door, swing door for rear trailer access doors, UWS front mount aluminum tool box storage chest, tandem axle enclosed cargo trailer with interior shelving units, wood floor, wired and ready for electric (interior light fixtures and receptacles), multiple tie down points, steel wheels, PowerKing Towmax ST205/75R 15 tires, excellent condition | 5DT211F2861056386                |

